


10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

BLOCK 5座

BLOCK 5座

地下平面圖 (複式低層) GROUND FLOOR PLAN (LOWER DUPLEX)



註釋 Explanatory Note :
貼鄰住客停車位的面積(不計算入停車位面積或實用面積)：地下A單位為31.036平方米(334平方呎)，地下B單位為5.763平方米(62平方呎)。
由工作平台或露台遮蓋之花園面積(已計算入花園面積)：地下A單位為7.298平方米(79平方呎)，地下B單位為6.445平方米(69平方呎)。根據屋宇署規定，該面積最少兩邊不可圍封。
Area adjoining residential parking space (not included in the area of parking space or saleable area): Flat A on G/F is 31.036 sq.m. (334 sq.ft.), Flat B on G/F is 5.763 sq.m. (62 sq.ft.).
Area of garden covered by utility platform or balcony (included in the area of garden): Flat A on G/F is 7.298 sq.m. (79 sq.ft.), Flat B on G/F is 6.445 sq.m. (69 sq.ft.). Such areas shall be unenclosed on at least 2 sides as required by Buildings Department.

第5座地下及1樓A單位在發展項目落成後進行小型工程或獲《建築物條例》豁免的工程而有所改動。該等改動的大概位置已於本樓面平面圖中作標示。

Flat A, G/F & 1/F of Block 5 has been altered by way of minor works or exempted works under the Buildings Ordinance after completion of the Development. The approximate locations of alteration are indicated on this floor plan.

第5座地下及1樓A單位的改動工程包括：

- (A) 原睡房的間隔牆被移除並以不同尺寸的玻璃間隔牆及趟門取代。
- (B) 原樓梯的扶手被移除及新增玻璃間隔牆。
- (C) 原樓梯的扶手被移除。
- (D) 原睡房的間隔牆被移除並以不同尺寸的間隔牆取代。
- (E) 原樓梯的扶手被移除並以不同物料及設計的扶手取代。
- (F) 新增間隔牆。

Alteration works for Flat A, G/F & 1/F of Block 5 include:

- (A) Original partition wall of the bedroom was demolished and replaced by glass partition wall and sliding door with different dimensions.
- (B) Original railing of the staircase was demolished and glass partition wall was added.
- (C) Original railing of the staircase was demolished.
- (D) Original partition wall of the bedroom was demolished and replaced by partition walls with different dimensions.
- (E) Original railing of the staircase was demolished and replaced by railing in different material and design.
- (F) Partition walls were added.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第67頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. Please refer to page 67 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

備註 Note :

1. 平面圖所列數字為以毫米標示之建築結構尺寸。
2. 以平方呎顯示之面積均依據1平方米=10.764平方呎換算，並四捨五入至整數。
1. The dimensions of floor plans are all structural dimensions in millimeter.
2. Areas in square feet are converted at a rate of 1 square metre to 10.764 square feet and rounded to the nearest integer.

每個住宅物業 Each Residential Property	單位 Unit 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	G/F	3500	3500
樓板(不包括灰泥)的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	G/F	150, 175, 200, 250	150, 175, 200, 250, 300

1樓平面圖 (複式高層) 1ST FLOOR PLAN (UPPER DUPLEX)



第5座地下及1樓A單位的改動工程包括：

- (G) 原樓梯的扶手被移除並以不同物料及設計的扶手取代。
- (H) 原樓梯的扶手被移除。

Alteration works for Flat A, G/F & 1/F of Block 5 includes:

- (G) Original railing of the staircase was demolished and replaced by railings of different material and design.
- (H) Original railing of the staircase was demolished.



比例尺 SCALE: 0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note : The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第67頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. Please refer to page 67 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	1/F	3250	3250
樓板(不包括灰泥)的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	1/F	150, 175, 225, 250	150, 200, 250, 275, 350

10. 期數的住宅物業的樓面平面圖


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

BLOCK 5座

地下及1樓A單位之現狀間隔平面圖 AS IS FLOOR PLANS FOR FLAT A, G/F & 1/F


此版乃特意留白 This page is deliberately left in blank

地下平面圖(複式低層) Ground Floor Plan (Lower Duplex)



比例尺 SCALE: 0米(M) 5米(M)

1樓平面圖(複式高層) 1st Floor Plan (Upper Duplex)



比例尺 SCALE: 0米(M) 5米(M)



因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第67頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 67 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

備註 Note :

1. 平面圖所列數字為以毫米標示之建築結構尺寸。

2. 以平方呎顯示之面積均依據1平方米=10.764平方呎換算，並四捨五入至整數。
1. The dimensions of floor plans are all structural dimensions in millimeter.

2. Areas in square feet are converted at a rate of 1 square metre to 10.764 square feet and rounded to the nearest integer.

註釋 Explanatory Note :

貼鄰住客停車位的面積(不計算入停車位面積或實用面積)：地下A單位為31.036平方米(334平方呎)。由工作平台或露台遮蓋之花園面積(已計算入花園面積)：地下A單位為7.298平方米(79平方呎)。根據屋宇署規定，該面積最少兩邊不可圍封。

Area adjoining residential parking space (not included in the area of parking space or saleable area): Flat A on G/F is 31.036 sq.m. (334 sq.ft.).

Area of garden covered by utility platform or balcony (included in the area of garden): Flat A on G/F is 7.298 sq.m. (79 sq.ft.). Such area shall be unenclosed on at least 2 sides as required by Buildings Department.

每個住宅物業 Each Residential Property	單位 Unit 樓層 Floor	A
層與層之間的高度 Floor to Floor Height (毫米 mm)	G/F	3500
	1/F	3250
樓板(不包括灰泥)的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	G/F	150, 175, 200, 250
	1/F	150, 175, 225, 250

10. 期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

BLOCK 5座

3樓平面圖 3RD FLOOR PLAN



每個住宅物業 Each Residential Property	單位 Unit 樓層 Floor	A	B	C	D	E	F	G	H
層與層之間的高度 Floor to Floor Height (毫米 mm)	3/F	2900, 3150	3150	3150	3150	3150	3150	3150	3150
樓板(不包括灰泥)的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	3/F	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200

5樓 - 9樓，12樓，15樓 - 18樓及21樓 - 23樓平面圖 5TH - 9TH, 12TH, 15TH - 18TH & 21ST - 23RD FLOOR PLAN



每個住宅物業 Each Residential Property	單位 Unit 樓層 Floor	A	B	C	D	E	F	G	H
層與層之間的高度 Floor to Floor Height (毫米 mm)	5/F - 8/F, 12/F, 15/F - 17/F & 21/F - 23/F	3150	3150	3150	3150	3150	3150	3150	3150
	9/F & 18/F	2900, 3150	2900, 2950, 3150	2900, 2950, 3150	3150	3150	2900, 2950, 3150	2800, 2950, 3150	2900, 3150
樓板(不包括灰泥)的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	5/F - 8/F, 12/F, 15/F - 17/F & 21/F - 23/F	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200
	9/F & 18/F	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

BLOCK 5座

BLOCK 5座

10樓及19樓平面圖 10TH & 19TH FLOOR PLAN



比例尺SCALE: 0米(M) 5米(M)


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第67頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. Please refer to page 67 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note : The dimensions of floor plans are all structural dimensions in millimeter.

11樓及20樓平面圖 11TH & 20TH FLOOR PLAN



比例尺SCALE: 0米(M) 5米(M)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第67頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. Please refer to page 67 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note : The dimensions of floor plans are all structural dimensions in millimeter.

每個住宅物業 Each Residential Property	樓層 Floor	單位 Unit	A	B	C	D	E	F	G	H
層與層之間的高度 Floor to Floor Height (毫米 mm)	10/F & 19/F		3150	3150	3150	3150	3150	3150	3150	3150
樓板(不包括灰泥)的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	10/F & 19/F		150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200, 225	150, 200

每個住宅物業 Each Residential Property	樓層 Floor	單位 Unit	A	B	C	D	E	F	G	H
層與層之間的高度 Floor to Floor Height (毫米 mm)	11/F & 20/F		3150	3150	3150	3150	3150	2900, 3150	2800, 3150	3150
樓板(不包括灰泥)的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	11/F & 20/F		150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

BLOCK 5座

25樓 - 26樓及29樓 - 30樓平面圖 25TH - 26TH & 29TH - 30TH FLOOR PLAN



比例尺SCALE: 0米(M) 5米(M)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第67頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. Please refer to page 67 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note : The dimensions of floor plans are all structural dimensions in millimeter.

每個住宅物業 Each Residential Property	單位 Unit 樓層 Floor	A	B	C	D	E	F	G	H
層與層之間的高度 Floor to Floor Height (毫米 mm)	25/F & 29/F	3150	3150	3150	3150	3150	3150	3150	3150
	26/F & 30/F	2900, 3150	2900, 2950, 3150	2900, 2950, 3150	3150	3150	2900, 2950, 3150	2800, 2950, 3150	2900, 3150
樓板 (不包括灰泥) 的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	25/F & 29/F	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200
	26/F & 30/F	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200

27樓及31樓平面圖 27TH & 31ST FLOOR PLAN



比例尺SCALE: 0米(M) 5米(M)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第67頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. Please refer to page 67 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note : The dimensions of floor plans are all structural dimensions in millimeter.


每個住宅物業 Each Residential Property	單位 Unit 樓層 Floor	A	B	C	D	E	F	G	H
層與層之間的高度 Floor to Floor Height (毫米 mm)	27/F & 31/F	3150	3150	3150	3150	3150	3150	3150	3150
樓板 (不包括灰泥) 的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	27/F & 31/F	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200, 225	150, 200

10. 期數的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

BLOCK 5座

28樓及32樓平面圖 28TH & 32ND FLOOR PLAN



比例尺SCALE: 0米(M) 5米(M)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第67頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 67 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.


包括1000毫米厚之結構轉換層。
^ 包括1300毫米厚之結構轉換層及混凝土填充層。

Including 1000mm thick transfer plate.
^ Including 1300mm thick transfer plate and mass concrete fill.

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note : The dimensions of floor plans are all structural dimensions in millimeter.

每個住宅物業 Each Residential Property	單位 Unit 樓層 Floor	A	B	C	D	E	F	G	H
層與層之間的高度 Floor to Floor Height (毫米 mm)	28/F	3150	3150	3150	3150	3150	2900, 3150	2800, 3150	3150
	32/F	3300, 3900#, 4200^	3500, 3900#, 4200^	3500, 3900#, 4200^	3300, 3900#, 4200^	3300, 3900#, 4200^	3500, 3900#, 4200^	3500, 3900#, 4200^	3300, 3900#, 4200^
樓板 (不包括灰泥) 的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	28/F	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200	150, 200
	32/F	200, 1000, 1300	150, 200, 250, 1000, 1300	150, 200, 250, 1000, 1300	200, 1000, 1300	200, 1000, 1300	150, 200, 250, 1000, 1300	150, 225, 250, 1000, 1300	200, 1000, 1300

33樓平面圖 (複式低層) 33RD FLOOR PLAN (LOWER DUPLEX)



比例尺SCALE: 0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note : The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第67頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 67 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	33/F	2800, 3340, 3500	2800, 3340, 3500
樓板 (不包括灰泥) 的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	33/F	140, 300	140, 300

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

35樓平面圖 (複式高層) 35TH FLOOR PLAN (UPPER DUPLEX)

第5座35樓A單位在發展項目落成後進行小型工程或獲《建築物條例》豁免的工程而有所改動。該等改動的大概位置於本樓面平面圖中已作標示。


Flat A, 35/F of Block 5 has been altered by way of minor works or exempted works under the Buildings Ordinance after completion of the Development. The approximate location of the alterations are indicated on this floor plan.

第5座35樓A單位的改動工程包括:

- (A) 睡房2及睡房3原本的間牆移除及移位，並以不同尺寸的間牆取代。
- (B) 原本之浴室1改為衣帽間，並將原本的間牆及裝置移除或移位，並以不同尺寸的間牆取代。
- (C) 原本之睡房1改為書房，並將原本的間牆移除及移位，並以不同尺寸的間牆取代。
- (D) 增設門。
- (E) 移除原本的間牆及門。

Alteration works for Flat A, 35/F of Block 5 includes:

- (A) Original partition wall between Bedroom 2 and Bedroom 3 were demolished and relocated, and replaced by partition walls with different dimensions.
- (B) Original Bathroom 1 was altered as a walk-in closet, and the original partition walls were demolished or relocated, and replaced by partition walls with different dimensions.
- (C) Original Bedroom 1 was altered as a study room, and the original partition walls were demolished or relocated, and replaced by partition walls with different dimensions.
- (D) Add a door.
- (E) Original partition wall and door were demolished.



比例尺SCALE: 0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note : The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第67頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 67 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

每個住宅物業 Each Residential Property	單位 Unit 樓層 Floor	A	B
層與層之間的高度 Floor to Floor Height (毫米 mm)	35/F	3250, 3500	3250, 3500
樓板 (不包括灰泥) 的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	35/F	150, 200	150, 200

BLOCK 5座



35樓A單位之現狀間隔平面圖 (複式高層) FLAT A, 35/F AS IS FLOOR PLAN (UPPER DUPLEX)



比例尺SCALE: 0米(M) 5米(M)

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note : The dimensions of floor plans are all structural dimensions in millimeter.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第67頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 67 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.


每個住宅物業 Each Residential Property	單位 Unit 樓層 Floor	A
層與層之間的高度 Floor to Floor Height (毫米 mm)	35/F	3250, 3500
樓板 (不包括灰泥) 的厚度 Thickness of Floor Slab (excluding plaster) (毫米 mm)	35/F	150, 200

10. 期數的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

BLOCK 5座

此版乃特意留白 This page is deliberately left in blank

機電層平面圖 ELECTRICAL & MECHANICAL FLOOR PLAN



比例尺SCALE: 0米(M) 5米(M)

每個住宅單位的層與層之間的高度：不適用。
每個住宅單位的樓板（不包括灰泥）的厚度：不適用。
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

The floor-to-floor height of each residential property : Not applicable.
The thickness of the floor slabs (excluding plaster) of each residential property : Not applicable.
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

備註：平面圖所列數字為以毫米標示之建築結構尺寸。
Note : The dimensions of floor plans are all structural dimensions in millimeter.

住宅物業平面圖的名詞及簡稱的圖例
LEGENDS OF THE TERMS AND ABBREVIATION FOR THE FLOOR
PLANS OF RESIDENTIAL PROPERTIES

A/C	=	冷氣機平台 Air-conditioning platform
B	=	浴室 Bathroom
Bal.	=	露台 Balcony
Br.	=	睡房 Bedroom
B.W.	=	窗台 Bay window
Din.	=	飯廳 Dining room
Dn.	=	落 Down
Elec. Room	=	電力房 Electricity room
ELV Duct	=	超低壓電線槽位 Extra-low voltage electricity duct
ELV Room	=	超低壓電力房 Extra-low voltage electricity room
F.R.	=	平台 Flat roof
H.R.	=	喉轆 Hose reel
Kit.	=	廚房 Kitchen
Liv.	=	客廳 Living room
M.B.	=	主人房浴室 Master bathroom
M.Br.	=	主人房 Master bedroom
P.D.	=	管道槽位 Pipe duct
R.S. & M.R.R.	=	垃圾及物料回收房 Refuse storage & material recovery room
St.	=	儲物間 Store
Switch Rm	=	電掣房 Switch room
T.B.E. Room	=	電話機房 Telecommunications & broadcasting room
U.P.	=	工作平台 Utility platform
W.C.	=	廁所 Washing chamber
W.I.C.	=	衣帽間 Walk in closet
W.M.C.	=	水錶位 Water meter cabinet

住宅物業的平面圖的備註:

- 部分住宅單位的露台、工作平台、平台或外牆或設有外露之公用喉管，或外牆裝飾板內藏之公用喉管。
- 部分住宅單位內之部分天花或有跌級樓板，用以安裝上層之機電設備或配合上層之結構、建築設計及/或裝修設計上的需要。
- 部分住宅單位內或設有假陣或假天花用以安裝冷氣喉管及/或其他機電設備。

Remarks for the Floor Plans of Residential Properties:

- Common pipes exposed or enclosed in cladding may be located at the balcony, utility platform, flat roof or external wall of some residential units.
- There may be sunken slabs at some parts of the ceiling inside some residential units for the installation of mechanical and electrical services of the floor above or due to the structural, architectural and/or decoration design requirements of the floor above.
- There may be ceiling bulkheads or false ceiling inside some residential units for the installation of air-conditioning conduits and/or other mechanical and electrical services.

