裝置、裝修物料及設備

1.外部裝修物料

		描述	
a.	外牆	 裝修物料的類型 	基座外牆鋪砌瓷磚、玻璃外牆、玻璃幕牆、天然石、鋁質飾板及鋁質百葉。 住宅大樓外牆鋪砌瓷磚、外用油漆、玻璃外牆、玻璃幕牆及鋁質飾板。
b.	多	框的用料	氟碳噴塗鋁窗框
Ο.	A	玻璃的用料	單位窗為有色玻璃,浴室窗為半透明玻璃
C.	窗台	用料	不適用
		窗台板的裝修物料	不適用
d.	花槽	裝修物料的類型	不適用
e.	陽台或露台	(i) 裝修物料的類型	(i) 露台裝有夾層玻璃欄河,地台鋪砌瓷磚及裝有人造木平台, 牆身鋪砌瓷磚,天花鋪設鋁質假天花 (ii) 陽台:沒有
		(ii) 是否有蓋	露台設有上蓋
f	乾衣設施	類型	不適用
1.	76.1公元吧	用料	不適用

2. 室內裝修物料

		描述	描述			
			牆壁	地板	天花板	
	+ ₩	地下住宅入口大堂裝修物料的類型	外露牆身鋪砌天然石、木皮飾面、玻璃飾面及不銹鋼飾面板	天然石	石膏板假天花	
a.	大堂	公用升降機大堂裝修物料的類型	外露牆身鋪砌天然石、木皮飾面及玻璃飾面板	瓷磚	石膏板假天花	
			牆壁	天花板		
la	 內牆及天花板	客廳裝修物料的類型	乳膠漆	乳膠漆		
b.		飯廳裝修物料的類型	乳膠漆	乳膠漆		
		睡房裝修物料的類型	乳膠漆	乳膠漆		
			地板	牆腳線		
	內部地板	客廳的用料	複合木地板	木腳線		
C.	内部地狱	飯廳的用料	複合木地板	木腳線		
		睡房的用料	複合木地板	木腳線		
4			牆壁	地板	天花板	
d.	/ 1 年	裝修物料的類型	外露牆身鋪砌天然石及玻璃飾面板	外露地板為天然石	石膏板假天花	
		牆壁的裝修物料是否鋪至天花板	裝修物料鋪至假天花底			

裝置、裝修物料及設備

e.		廚房		牆壁	地板	天花板	灶台
	e.		裝修物料的類型	a. 外露牆身鋪砌玻璃飾面板及高光澤焗漆板 (6樓至16樓及18樓至31樓單位)	a. 外露地板為天然石圍邊 (6樓至16樓及18樓至31樓單位)	石膏板假天花 無緣	無縫人造塑料
				b. 外露牆身鋪砌天然石及玻璃飾面板(32樓單位)	b. 外露地板為天然石(32樓單位)		
			牆壁的裝修物料是否鋪至天花板	裝修物料鋪至假天花底			

3.室內裝置

		描述			
			用料	裝修物料	配件
		單位大門	實心木門	木紋飾面	指紋門鎖、門鼓及防盜眼
		主人睡房及睡房門	木門	木紋飾面	門鎖
		浴室及32樓主人房浴室門	木門	木紋飾面	門鎖
		儲物間門(只適用於32樓B及C單位)	木門	木紋飾面	門鎖
a.	門	廚房門(只適用於32樓單位)	木門	木紋飾面連玻璃視窗	門鼓及拉手
		露台門	鋁門框連有色玻璃	有色玻璃	門鎖
		工作平台門(32樓單位)	鋁門框連有色玻璃	有色玻璃	門鎖
		平台門(6樓及32樓單位)	鋁門框連有色玻璃	有色玻璃	門鎖
		梯屋門(天台)	鋁門框連有色玻璃	有色玻璃	門鎖
			裝置及設備	類型	用料
			 櫃	櫃枱面	天然石
			11년	櫃	木
		(i) 裝置及設備的類型及用料		洗手盤水龍頭及廁紙架	鍍鉻
			潔具	洗手盤及座廁	搪瓷
b.	浴室			淋浴間	強化玻璃
			設備	隨樓附送之設備及品牌,	請參閱「設備説明表」
		(ii) 供水系統的類型及用料		冷熱水喉	銅喉
		 (iii) 沐浴設施(包括花灑或浴缸(如適用的話))	花灑	淋浴水龍頭	鍍鉻
		(111) 《1776 成儿吧》(巴3百16/熊汉/存址(外观/竹中9百7)	浴缸(只限32樓A·D單位浴室及B·C單位主人房浴室)	浴缸	搪瓷鋼板
		(iv) 浴缸大小 (如適用的話)			1400毫米(長) x 700毫米(闊) x 410毫米(高)

			用料			
		(i) 洗滌盆的用料	不銹鋼			
		(ii) 供水系統的用料	(大)			
		(II) 快小系制的州州	用料			
			用科 -			
C.	廚房	(iii) 廚櫃的用料及裝修物料	木製廚櫃配纖維合成門板	a. 局光澤焗漆面(6樓鱼 b. 木紋飾面(32樓單位	至16樓及18樓至31樓單位))	
		(iv) 所有其他裝置及設備的類型	消防裝置及設備	開放式廚房內或附近的完 之所有住宅單位)	天花裝置煙霧探測器及消防花灑頭(適用於32樓以外	
			其他裝置的類型	鍍鉻洗滌盆水龍頭		
			其他設備的類型	隨樓附送之設備及品牌	,請參閱「設備説明表」	
				類型	用料	
d.	睡房		嵌入式衣櫃	不適用	不適用	
		裝置 (包括嵌入式衣櫃) 的類型及用料	其他裝置	不適用	不適用	
e.	電話	接駁點的位置及數目	請參閱「機電裝置位置及數量説明表」			
f.	天線	接駁點的位置及數目	請參閱「機電裝置位置及數量説明表」			
		(i) 供電附件(包括安全裝置)	供電附件	提供電制及插座之面板		
g.	電力裝置		安全裝置	a. 單相電力(6樓至16樓及18樓至31樓單位)並裝妥微型斷路器配電箱 b. 三相電力(32樓單位)並裝妥微型斷路器配電箱		
		(ii) 導管是隱藏或外露	導管是部分隱藏及部分外露 ¹			
		(iii) 電插座及空調機接駁點的位置及數目	請參閱「機電裝置位置及數量説明表」			
		類型	煤氣			
h.	氣體供應	系統	煤氣喉接駁煤氣煮食爐及煤氣熱水爐			
		位置	煤氣接駁點的位置請參閱「機電裝置位置及數量	説明表」		
	>4 → 144 + → FX M L	位置	請參閱「機電裝置位置及數量説明表」			
i.	洗衣機接駁點	設計	設有洗衣機來、去水接駁喉位			
		水管的用料	冷水喉採用銅喉及熱水喉採用有隔熱絕緣保護之	2銅喉		
j.	供水	水管是隱藏或外露	水管是部分隱藏及部分外露2			
		有否熱水供應	廚房、主人房浴室(如有)和浴室設有供應熱水之	系統		

備註:1. 除部分隱藏於混凝土內之導管外,其他部分的導管均為外露。外露的導管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋。 2. 除部分隱藏於混凝土內之水管外,其他部分的水管均為外露。外露的水管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋。

裝置、裝修物料及設備

4. 雜項

		描述	描述					
				住宅	住宅	商用		
		(:) 口帕夕拉亚文口叫咕	品牌名稱	日立	日立	日立		
		(i) 品牌名稱及產品型號	產品型號	HVF-900CO210	HVF-900CO210	UAG-2T-900CO60		
a.	升降機		升降機的數目	1部	1部	1部		
		(ii) 升降機的數目及到達的樓層	到達的樓層	地下至32樓(1樓、4樓、14樓、 17樓及24樓除外)	地下至32樓(1樓、4樓、14樓、 及24樓除外)	地下至1樓		
b.	信箱	用料	不銹鋼					
	垃圾收集	(i) 垃圾收集的方法	由清潔工人收集垃圾					
C.	以	(ii) 垃圾房的位置	各住宅層之公用地方均設有垃圾收集房,另中央垃圾收集房設於地下					
			水錶	電錶	氣體錶			
d.	水錶、電錶及氣體錶	(i) 位置	每層之公共錶房	每層之公共錶房	a. 浴室(6樓至16樓及18樓至31樓 b. 露台(6樓至16樓及18樓至31樓 c. 廚房(32樓A、B、C及D單位)	G及H單位) A、B、C、D、E、F、J及K單位)		
		(ii) 就住宅單位而言是獨立抑或 公用的錶	獨立	獨立	獨立			

5. 保安設施

保安系統及設備 -	入口通道控制及保安系統	住宅入口大堂設有訪客對講機及智能咭(八達通)閱讀器。
	閉路電視	住宅入口大堂、會所、平台花園及升降機均設有閉路電視連接管理處。
嵌入式的裝備的細節	各住宅單位均裝配8"輕觸式屏幕	為主控台,控制視像對講機系統,並設有警報掣功能連接住客入口大堂管理處。
嵌入式裝備的位置	視像對講機的位置請參閱「機電	装置位置及數量説明表」

賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備,便會安裝品質相若的升降機或設備。

6.設備

標準單位設備説明(6樓至31樓)

設備	 適用單位		型號 (如有)		
以開	旭 用早区	口口力午	室內機	室外機	
	A TA D SIGN	東芝	RAS-24SKP-ES	RAS-24SA-ES	
	A 及 D 單位	東芝	RAS-18SKP-ES	RAS-18SA-ES	
分體式冷氣機	B, C, E, F, J 及 K 單位	東芝	RAS-18SKP-ES	RAS-18SA-ES	
	G 及 H 單位	東芝	RAS-13SKP-ES2	RAS-13SA-ES2	
煤氣煮食爐(雙爐頭)	所有單位	Scholtes	MGN321HK		
抽油煙機	所有單位	西門子	LI46631GB		
煤氣熱水爐	所有單位	TGC	TRJ	W161TFQL	
洗衣乾衣機	所有單位	西門子	WK1	14D320GB	
微波爐	所有單位	西門子	HF1	5M564HK	
雪櫃	所有單位	西門子	K18	7SAF30K	
儲酒櫃	A及D單位	Vinvautz	VZ22BI		
抽氣扇	A, D, G, 及 H 單位	KDK	15W	/HC07	
1四本(砂)	B, C, E, F, J 及 K 單位	Panasonic	FV-1	8NF3H	
浴室電視	所有單位	JSA	TME	3G10	
浴室電視	所有單位	JSA	TME	3G10	

裝置、裝修物料及設備

6.設備

特色單位設備説明(32樓)

設備	適用單位	品牌		型號 (如有)		
政 佣			室內機	室外機		
	A T D BIC	東芝	RAS-24SKP-ES	RAS-24SA-ES		
	A及D單位	東芝	RAS-13SKP-ES2	RAS-13SA-ES2		
八岫十冷气地		東芝	RAS-24SKP-ES	RAS-24SA-ES		
分體式冷氣機	D. T. C智位	東芝	RAS-18SKP-ES	RAS-18SA-ES		
	B及C單位	東芝	RAS-M13N3KCV(HK)	DAC 2M22CACV/F		
		東芝	RAS-M10N3KCV(HK)	RAS-3M23GACV-E		
煤氣煮食爐(單爐頭)	所有單位	Miele		CS 1018		
電磁爐(雙爐頭)	所有單位	Miele		CS 1212-1i		
抽油煙機	所有單位	Miele	DA429-6	DA4298W (只適用於C單位)		
電熱水爐	B 及 C單位	Stiebel Eltron		DHM6		
	A 及 D單位	TGC		TRJW161TFQL		
/木米1.六(*/1./)温	B 及 C單位	TGC		TRJW221TFQL		
洗衣乾衣機	所有單位	Miele		WT2789iWPM		
蒸爐	所有單位	Miele		DG 6200		
事櫃	所有單位	Miele		KFN 37432 iD		
儲酒櫃	所有單位	Vinvautz		VZ22BI		
	所有單位	KDK		20WHC07		
1四本小科	717年世	Panasonic		FV-18NF3H		
浴室電視	所有單位	JSA		TMBG10		

賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備,便會安裝品質相若的升降機或設備。

1. Exterior finishes

		Description	
a.	External wall	Type of finishes	Podium : Ceramic wall tiles, glass wall, curtain wall, natural stone, aluminium cladding and aluminium louvre Residential tower : Ceramic wall tiles, external paint, glass wall, curtain wall and aluminium cladding
la	Window	Material of frame	Fluorocarbon coating aluminium frame
D.		Material of glass	Tinted glass for windows in all residential units. Frosted glass for windows in bathrooms
	Bay window	Material of bay window	Not applicable
C.		Window sill finishes	Not applicable
d.	Planter	Type of finishes	Not applicable
_	Managalah ay balany	Type of finishes	(i) Balcony: Installed with laminated glass balustrade. Floor: Ceramic tiles and artificial wood deck. Wall: Ceramic wall tiles Ceiling: Aluminium false ceiling
e.	Verandah or balcony		(ii) Verandah: Nil
		Whether it is covered	Balcony is covered
f	Drying facilities for clothing	Туре	Not applicable
t.	Drying facilities for clothling	Material	Not applicable

2. Interior finishes

		Description				
			Wall	Floor	Ceiling	
a.	Lobby	G/F residential entrance lobby finishes	Natural stone, wooden veneered panel, feature glass and stainless steel feature panel to exposed surface	Natural stone	Gypsum board false ceiling	
	Lobby	Common lift lobby finishes	Natural stone, wooden veneered panel and feature glass panel to exposed surface	Ceramic tiles	Gypsum board false ceiling	
	Internal wall and ceiling		Wall	Ceiling		
b.		Living room finishes	Emulsion paint	Emulsion paint		
		Dining room finishes	Emulsion paint	Emulsion paint		
		Bedroom finishes	Emulsion paint	Emulsion paint		
			Floor	Skirting		
c.	Internal floor	Material for living room	Engineered timber	Wood		
С.	internal 11001	Material for dining room	Engineered timber	Wood		
		Material for bedroom	Engineered timber	Wood		
			Wall	Floor	Ceiling	
d.	Bathroom	Finishes	Natural stone and feature glass panel (for exposed surface only)	Natural stone (for exposed surface only)	Gypsum board false ceiling	
		Whether the wall finishes run up to ceiling	Up to the level of false ceiling			

裝置、裝修物料及設備

				Wall	Floor	Ceiling	Cooking Bench
6	э.	Kitchen	Type of finishes	a. Feature glass panel and high gloss lacquer finish panel (for exposed surface only) (for units on 6/F-16/F, 18/F-31/F)	a. Natural stone border (for exposed surface only) (for units on 6/F-16/F, 18/F-31/F)	Gypsum board false ceiling	Solid surfacing
				b. Natural stone and feature glass panel (for exposed surface only) (for units on 32/F)	b. Natural stone (for exposed surface only) (for units on 32/F)		
			Whether the wall finishes run up to ceiling	Up to the level of false ceiling			

3. Interior fittings

		Description				
			Material	Finishes	Accessories	
	Doors	Main entrance door	Solid core timber door	Timber pattern veneered	Fingerprint door lock, door closer and eye viewer	
		Master bedroom and bedroom doors	Timber door	Timber pattern veneered	Door lock	
		Bathroom and 32/F master bathroom doors	Timber door	Timber pattern veneered	Door lock	
a.		Store door (Flat B and C on 32/F only)	Timber door	Timber pattern veneered	Door lock	
		Kitchen door (Units on 32/F only)	Timber door	Timber pattern veneered with glass vision panel	Door closer and handle	
		Balcony door	Aluminium door frame with tinted glass	Tinted glass	Lockset	
		Utility platform door (Units on 32/F)	Aluminium door frame with tinted glass	Tinted glass	Lockset	
		Flat roof door (Units on 6/F and 32/F)	Aluminium door frame with tinted glass	Tinted glass	Lockset	
		Stairhood door (Roof)	Aluminium door frame with tinted glass	Tinted glass	Lockset	
			Fittings and equipment	Туре	Material	
		(i) Type and material of fittings and equipment	Cabinet	Countertop	Natural stone	
			Capillet	Cabinet	Wood	
				Wash basin mixer and paper holder	Chrome plated	
			Bathroom fittings	Wash basin and water closet	Ceramic	
b.	Bathroom			Shower compartment	Tempered glass	
ο.	Battilloom		Bathroom appliances	For the appliances provision and brand nar	ne, please refer to the "Appliance Schedule"	
		(ii) Type and material of water supply system		Hot and cold water supply	Copper water pipes	
		(iii) Type and material of bathing facilities	Shower	Shower mixer	Chrome plated	
		(including shower or bath tub, if applicable)	Bath tub (for bathroom of Flat A & D and master bathroom of Flat B & C on 32/F only)	Bath tub	Enamelled steel	
		(iv) Size of bath tub, if applicable			1400mm (L) x 700mm (W) x 410mm (H)	

			Material				
		(i) Material of sink unit	Stainless steel				
		(ii) Material of water supply system	Copper water pipes for both hot and cold water				
			Material	Finishes			
C.	Kitchen	(iii) Material and finishes of kitchen cabinet	Timber cabinet with dense fiberboard door panel	a. High gloss lacquer finish (for units on 6/F-16/F, 18/F-31/F) b. Timber pattern veneered (for units on 32/F)			
			Fire service installations and equipment	Ceiling-mounted smoke detector and sprin (applicable to all residential units except the			
		(iv) Type of all other fittings and equipment	Other fittings	Chrome plated sink mixer			
			Other equipment	For the appliances provision and brand nar	me, please refer to the "Appliance Schedule"		
				Туре	Material		
d.	Bedroom	Type and material of fittings	Built-in wardrobe	Not applicable	Not applicable		
		(including built-in wardrobe)	Other fittings	Not applicable	Not applicable		
e.	Telephone	Location and number of connection points	Please refer to the "Schedule for the location and number of Electrical & Mechanical Provisions"				
f.	Aerials	Location and number of connection points	Please refer to the "Schedule for the location and number of Electrical & Mechanical Provisions"				
			Electrical fittings	Faceplate for all switches and power sockets			
g.	Electrical installations	(i) Electrical fittings (including safety devices)	a. Single phase electricity supply (for units on 6/F-16/F, 18/F-31/F) with miniature circuit breaker distribution board b. Three phases electricity supply (for units on 32/F) with miniature circuit breaker distribution board				
		(ii) Whether conduits are concealed or exposed	Conduits are partly concealed and partly exposed ¹				
		(iii) Location and number of power points and air-conditioner points	Please refer to the "Schedule for the location and number of Electrical & Mechanical Provisions"				
		Туре	Towngas				
h.	Gas supply	System	Gas supply pipe is provided and connected to gas hob and gas water heater for all residential units				
		Location	For the location of gas connection points, p	please refer to the "Schedule for the location ar	nd number of Electrical & Mechanical Provision		
	Washing machine	Location	Please refer to the "Schedule for the locati	ion and number of Electrical & Mechanical Pr	rovisions"		
i.	connection point	Design	Drain point and water point are provided for washing machine				
		Material of water pipes	Copper water pipes for cold water supply	and copper pipe with thermal insulation for h	not water supply		
j.	Water supply	Whether water pipes are concealed or exposed	Water pipes are partly concealed and par	tly exposed ²			
,	,	Whether hot water is available	Hot water supply system is provided to kit	tchen, master bathroom (if applicable) and ba	athroom		

Remarks: 1. Other than those parts of the conduits concealed within concrete, the rest of them are exposed. The exposed conduits may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.

2. Other than those parts of the water pipes concealed within concrete, the rest of them are exposed. The exposed water pipes may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.

裝置、裝修物料及設備

4. Miscellaneous

		Description						
				Residential lift	Residential lift	Commercial lift		
		(i) Brand name and model number	Brand name	Hitachi	Hitachi	Hitachi		
			Model number	HVF-900CO210	HVF-900CO210	UAG-2T-900CO60		
a.	Lifts		Number of lifts	One	One	One		
		(ii) Number and floors served by them Floors served by the lifts	Floors served by the lifts	G/F to 32/F (Except 1/F, 4/F, 14/F,17/F & 24/F)	G/F to 32/F (Except 1/F, 4/F, 14/F & 24/F)	G/F to 1/F		
b.	Letter box	Material	Stainless steel					
		(i) Means of refuse collection	Collected by cleaners					
C.	Refuse collection	(ii) Location of refuse room	Refuse storage and material recovery Refuse storage and material recovery	rooms are provided at the common chamber is provided on G/F	mon area on each residential floc	area on each residential floor		
	Water meter, electricity meter and gas meter		Water meter	Electricity meter	Gas meter			
d.		(i) Location	Common meter room on each floor	Common meter room on each floor	a. Bathroom (for Flat G and H c b. Balcony (for Flat A, B, C, D, E, c. Kitchen (for Flat A, B, C and	F, J and K on 6/F-16/F, 18/F-31/F)		
		(ii) Whether they are separate or communal meters for residential properties	Separate meter	Separate meter	Separate meter			

5. Security facilities

Security system and	Access control and security system	Visitor panel and access card reader (octopus card) are installed at the main entrance lobby on G/F for resident access.		
equipment	CCTV	CCTV system is provided at residential entrance lobby, clubhouse, podium garden and all lifts connecting directly to the caretaker's counter		
Details of built-in provisions	ons 8-inch portable tablet as mobile control for video door phone with panic alarm function connected to the caretaker's counter at the residential entrance lobby			
Location of built-in provisions For the location of video door phone, please refer to the "Schedule for the location and number of Electrical & Mechanical Provisions"				

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the development, lifts or appliances of comparable quality will be installed.

6. Appliances

Appliance Schedule for Typical Units (6/F - 31/F)

Appliances	Units apply	Brand	Model No. (if any)			
Appliances			Indoor unit	Outdoor unit		
	Flet A and D	Toshiba	RAS-24SKP-ES	RAS-24SA-ES		
Calit turns air sanditioner	Flat A and D	Toshiba	RAS-18SKP-ES	RAS-18SA-ES		
Split type air-conditioner	Flat B, C, E, F, J and K	Toshiba	RAS-18SKP-ES	RAS-18SA-ES		
	Flat G and H	Toshiba	RAS-13SKP-ES2	RAS-13SA-ES2		
Gas hob (double-burner)	All units	Scholtes	MGN321HK			
Cooker hood	All units	Siemens	LI46631GB			
Gas water heater	All units	TGC	TRJW161TFQL			
Washer dryer	All units	Siemens	WK14D320GB			
Microwave oven	All units	Siemens	HF15M564HK			
Refrigerator	All units	Siemens	Kt	87SAF30K		
Wine cellar	Flat A and D	Vinvautz	VZ	722BI		
Exhaust fan	Flat A, D, G, and H	KDK	15WHC07			
Exhaustian	Flat B, C, E, F, J and K	Panasonic	FV-18NF3H			
Bathroom TV	All units	JSA	TN	MBG10		

裝置、裝修物料及設備

6. Appliances

Appliance Schedule for Special Units (32/F)

Appliances	Units apply	Brand	Mod	del No. (if any)	
Appliances	отта арру	Biand	Indoor unit	Outdoor unit	
	Flat A and D	Toshiba	RAS-24SKP-ES	RAS-24SA-ES	
	Flat A and D	Toshiba	RAS-13SKP-ES2	RAS-24SA-ES RAS-13SA-ES2 RAS-24SA-ES RAS-18SA-ES RAS-3M23GACV-E 1018 1212-1i DA4298W (applicable to Flat C only) M6 JW161TFQL	
Colit to a pair page dition or		Toshiba	RAS-24SKP-ES	RAS-24SA-ES	
Split type air-conditioner		Toshiba	RAS-18SKP-ES	RAS-18SA-ES	
	Flat B and C	Toshiba	RAS-M13N3KCV(HK)	DAG OMOOGAGY F	
		Toshiba	RAS-M10N3KCV(HK)	- RAS-3M23GACV-E	
Gas Hob (single-burner)	All units	Miele	CS 1018		
Induction Hob (double-burner)	All units	Miele	CS 1212-1i		
Cooker hood	All units	Miele	DA429-6	DA4298W (applicable to Flat C only)	
Electric water heater	Flat B and C	Stiebel Eltron	DHM6		
Gas water heater	Flat A and D	TGC	TRJW161TFQL		
Gas water reater	Flat B and C	TGC	TRJW221TFQL		
Washer dryer	All units	Miele	WT	2789iWPM	
Steamer	All units	Miele	DG	6200	
Refrigerator	All units	Miele	KFN 37432 iD		
Wine cellar	All units	Vinvautz	VZ22BI		
Exhaust fan	All units	KDK	20WHC07		
Exhaust läh	All utilits	Panasonic	FV-	18NF3H	
Bathroom TV	All units	JSA	TME	3G10	

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the development, lifts or appliances of comparable quality will be installed.

6樓住宅單位機電裝置位置及數量説明表 Schedule for the location and number of Electrical & Mechanical Provisions for Residential Properties of 6/F

位置 Location	裝置 Provision	A, D	В, С	E, K	F, J	G, H
	單位電插座 Single Socket Outlet	1	1	1	1	1
	雙位電插座 Twin Socket Outlet	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2			
安年底 Living and Diving Dage	電視及電台天線插座 TV and FM Outlet	1	1	1	1	1
客飯廳 Living and Dining Room	電話插座 Telephone Outlet	1	1	1	1	1
	室內空調機接駁點 Connection Point for A/C Indoor Unit	1	1	1	1	1
	視像對講機 Video Door Phone	1	1	1	1	1
	單位電插座 Single Socket Outlet	1	-	-	-	-
	雙位電插座 Twin Socket Outlet	1	-	-	-	-
睡房 Bedroom	電視及電台天線插座 TV and FM Outlet	1	-	-	-	-
	電話插座 Telephone Outlet	1	-	-	-	-
	室內空調機接駁點 Connection Point for A/C Indoor Unit	1	-	-	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-
	單位電插座 Single Socket Outlet	1	1	1	1	1
浴室 Bathroom	電視及電台天線插座 TV and FM Outlet	1	1	1	1	1
	煤氣接駁點 Gas Connection Point	-	-	-	-	1
	單位電插座 Single Socket Outlet	4	3	3	3	3
問计才麻巨 Open Vitaboo	雙位電插座 Twin Socket Outlet	1	1	1	1	1
開放式廚房 Open Kitchen	煤氣接駁點 Gas Connection Point	1	1	1	1	1
	洗衣機接駁點 Washing Machine Connection Point	1	1	1	1	1
平台 Flat Roof	防水單頭插座 Weatherproof Single Socket Outlet	1	1	1	1	1
+ ⊨ riat Rooi	煤氣接駁點 Gas Connection Point	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 - - - 1 - - - 1 - - - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2	1		
冷氣機平台 A/C Platform	室外空調機接駁點 Connection Point for A/C Outdoor Unit	2	1	1	1	1

裝置、裝修物料及設備

7樓至31樓住宅單位機電裝置位置及數量説明表 Schedule for the location and number of Electrical & Mechanical Provisions for Residential Properties of 7/F - 31/F

位置 Location	裝置 Provision	A, D	B, C	E, K	F, J	G, H
	單位電插座 Single Socket Outlet	1	1	1	1	1
	雙位電插座 Twin Socket Outlet	2	2	2	2	2
安全 原 Living and Dining Dags	電視及電台天線插座 TV and FM Outlet	1	1	1	1	1
客飯廳 Living and Dining Room	電話插座 Telephone Outlet	1	1	1	1	1
	室內空調機接駁點 Connection Point for A/C Indoor Unit	1	1	1	1	1
	視像對講機 Video Door Phone	1	1	1	1	1
	單位電插座 Single Socket Outlet	1	-	-	-	-
	雙位電插座 Twin Socket Outlet	1	-	-	-	-
睡房 Bedroom	電視及電台天線插座 TV and FM Outlet	1	-	-	-	-
	電話插座 Telephone Outlet	1	-	-	-	-
	室內空調機接駁點 Connection Point for A/C Indoor Unit	1	-	-	-	-
	單位電插座 Single Socket Outlet	1	1	1	1	1
浴室 Bathroom	電視及電台天線插座 TV and FM Outlet	1	1	1	1	1
	煤氣接駁點 Gas Connection Point	-	-	-	-	1
	單位電插座 Single Socket Outlet	4	3	3	3	3
問孙士麻巨 Open Vitaban	雙位電插座 Twin Socket Outlet	1	1	1	1	1
開放式廚房 Open Kitchen	煤氣接駁點 Gas Connection Point	1	1	1	1	1
	洗衣機接駁點 Washing Machine Connection Point	1	1	1	1	1
露台 Balcony	煤氣接駁點 Gas Connection Point	1	1	1	1	-
冷氣機平台 A/C Platform	室外空調機接駁點 Connection Point for A/C Outdoor Unit	1	1	1	1	1

32樓住宅單位機電裝置位置及數量説明表 Schedule for the location and number of Electrical & Mechanical Provisions for Residential Properties of 32/F

位置 Location	裝置 Provision	A, D	B, C
	單位電插座 Single Socket Outlet	1	1
	雙位電插座 Twin Socket Outlet	2	2
客飯廳 Living and Dining Room	電視及電台天線插座 TV and FM Outlet	1	1
合蚁腙 LIVING AND DITHING ROOM	電話插座 Telephone Outlet	1	1
	室內空調機接駁點 Connection Point for A/C Indoor Unit	1	1
	視像對講機 Video Door Phone	1	1
	單位電插座 Single Socket Outlet	1	1
	雙位電插座 Twin Socket Outlet	1	1
主人睡房 Master Bedroom	電視及電台天線插座 TV and FM Outlet	1	1
	電話插座 Telephone Outlet	1	1
	室內空調機接駁點 Connection Point for A/C Indoor Unit	1	1
	單位電插座 Single Socket Outlet	1	1
	雙位電插座 Twin Socket Outlet	1	1
睡房1 Bedroom 1	電視及電台天線插座 TV and FM Outlet	1	1
	電話插座 Telephone Outlet	1	1
	室內空調機接駁點 Connection Point for A/C Indoor Unit	1	1
Path □ Claus value 1	雙位電插座 Twin Socket Outlet	-	1
儲物室 Store room	室內空調機接駁點 Connection Point for A/C Indoor Unit	-	1
	單位電插座連開關 Switched Single Socket Outlet	-	1
主人房浴室 Master Bathroom	電視及電台天線插座 TV and FM Outlet	-	1
	煤氣接駁點 Gas Connection Point	-	1
₩ ¬ Pallerana	單位電插座 Single Socket Outlet	1	1
浴室 Bathroom	電視及電台天線插座 TV and FM Outlet	1	1
	單位電插座 Single Socket Outlet	3	3
南与 Little and	雙位電插座 Twin Socket Outlet	1	1
廚房 Kitchen	煤氣接駁點 Gas Connection Point	3	2
	洗衣機接駁點 Washing Machine Connection Point	1	1

裝置、裝修物料及設備

32樓住宅單位機電裝置位置及數量説明表 Schedule for the location and number of Electrical & Mechanical Provisions for Residential Properties of 32/F

位置 Location	裝置 Provision	A, D	В, С
冷氣機平台 A/C Platform	室外空調機接駁點 Connection Point for A/C Outdoor Unit	3	3
天台 Roof	防水單頭插座 Weatherproof Single Socket Outlet	1	1
∠⊟ R00I	煤氣接駁點 Gas Connection Point	1	1