

4. 期數的設計的資料

INFORMATION ON DESIGN OF THE PHASE

期數有構成圍封牆的一部分的非結構的預製外牆，每幢建築物的非結構的預製外牆的厚度為150毫米。
There are non-structural prefabricated external walls forming part of the enclosing walls of the Phase. The thickness of the non-structural prefabricated external walls of each building is 150mm.

期數有構成圍封牆的一部分的幕牆，每幢建築物的幕牆的厚度範圍為200毫米。
There are curtain walls forming part of the enclosing walls of the Phase. The thickness of the curtain walls of each building is 200mm.

每個住宅物業的非結構的預製外牆及幕牆的總面積表
Schedule of Total Area of the Non-Structural Prefabricated External Walls and Curtain Walls of each Residential Property

備註： 在本售樓說明書中，“Unit”及“Flat”（當提及住宅物業時）這兩個詞彙可能是互換使用。
Note: In this sales brochure, the terms “Unit” and “Flat” (when referring to a residential property) may be used interchangeably.

座數 Tower	樓層 Floor	單位 Flat	每個住宅物業的非結構 的預製外牆的總面積（平方米） Total area of the non-structural prefabricated external walls of each residential property (sq.m.)	每個住宅物業的幕牆 的總面積（平方米） Total area of curtain walls of each residential property (sq.m.)
第3座 Tower 3	地下 G/F	03	-	0.690
		05	-	0.710
		06	-	0.710
		07	-	0.710
		08	-	0.710
		09	-	0.730
		10	0.221	1.540
		11	-	0.400
		12	-	0.690
		15	-	0.340
		16	0.592	0.985
		17	-	0.595
		18	-	0.710
		19	0.652	1.175
		20	-	0.360
		21	-	0.690

座數 Tower	樓層 Floor	單位 Flat	每個住宅物業的非結構 的預製外牆的總面積（平方米） Total area of the non-structural prefabricated external walls of each residential property (sq.m.)	每個住宅物業的幕牆 的總面積（平方米） Total area of curtain walls of each residential property (sq.m.)
第3座 Tower 3	高層地下 UG/F	01	0.693	1.155
		03	-	0.690
		05	-	0.710
		06	-	0.710
		07	-	0.710
		08	-	0.710
		09	-	0.730
		10	0.221	1.540
		11	-	0.400
		12	-	0.690
		15	-	0.340
		16	0.592	1.380
		17	-	0.730
		18	-	0.710
		19	0.652	1.380
		20	-	0.690
		21	-	0.690
		23	-	0.710
		25	-	0.710
		26	-	0.710
		27	-	0.710

4. 期數的設計的資料

INFORMATION ON DESIGN OF THE PHASE

座數 Tower	樓層 Floor	單位 Flat	每個住宅物業的非結構 的預製外牆的總面積 (平方米) Total area of the non-structural prefabricated external walls of each residential property (sq.m.)	每個住宅物業的幕牆 的總面積 (平方米) Total area of curtain walls of each residential property (sq.m.)
第3座 Tower 3	1樓 1/F	01	0.693	1.155
		03	-	0.690
		05	-	0.710
		06	-	0.710
		07	-	0.710
		08	-	0.710
		09	-	0.730
		10	0.221	1.540
		11	-	0.400
		12	-	0.690
		15	-	0.340
		16	0.592	1.380
		17	-	0.730
		18	-	0.710
		19	0.652	1.380
		20	-	0.690
		21	-	0.690
		23	-	0.710
		25	-	0.710
		26	-	0.710
		27	-	0.710

座數 Tower	樓層 Floor	單位 Flat	每個住宅物業的非結構 的預製外牆的總面積 (平方米) Total area of the non-structural prefabricated external walls of each residential property (sq.m.)	每個住宅物業的幕牆 的總面積 (平方米) Total area of curtain walls of each residential property (sq.m.)
第3座 Tower 3	2樓-3樓、 5樓-12樓及 15樓-18樓 2/F-3/F, 5/F-12/F & 15/F-18/F	01	0.693	1.155
		02	0.652	1.375
		03	-	0.690
		05	-	0.710
		06	-	0.710
		07	-	0.710
		08	-	0.710
		09	-	0.730
		10	0.221	1.540
		11	-	0.400
		12	-	0.690
		15	-	0.340
		16	0.592	1.380
		17	-	0.730
		18	-	0.710
		19	0.652	1.380
		20	-	0.690
		21	-	0.690
		22	-	0.650
		23	-	0.710
		25	-	0.710
		26	-	0.710
		27	-	0.710

4. 期數的設計的資料

INFORMATION ON DESIGN OF THE PHASE

座數 Tower	樓層 Floor	單位 Flat	每個住宅物業的非結構 的預製外牆的總面積 (平方米) Total area of the non-structural prefabricated external walls of each residential property (sq.m.)	每個住宅物業的幕牆 的總面積 (平方米) Total area of curtain walls of each residential property (sq.m.)
第3座 Tower 3	19樓 19/F	01	0.693	1.155
		02	0.652	1.375
		03	-	0.690
		05	-	0.710
		06	-	0.710
		07	-	0.710
		08	-	0.710
		09	-	0.710
		10	0.521	2.680
		11	0.864	1.905
		21	-	0.690
		22	-	0.650
		23	-	0.710
		25	-	0.710
		26	-	0.710
		27	-	0.710

座數 Tower	樓層 Floor	單位 Flat	每個住宅物業的非結構 的預製外牆的總面積 (平方米) Total area of the non-structural prefabricated external walls of each residential property (sq.m.)	每個住宅物業的幕牆 的總面積 (平方米) Total area of curtain walls of each residential property (sq.m.)
第5座 Tower 5	高層地下 UG/F	01	0.345	1.155
		02	-	0.690
		06	-	0.710
		07	-	0.380
		08	-	0.360
		09	0.499	1.335
		10	0.187	0.300
		11	-	0.360
		12	-	0.370
		15	-	0.370
		16	-	1.040
	1樓 1/F	01	0.345	1.155
		02	-	0.690
		06	-	0.710
		07	-	0.710
		08	-	0.360
		09	0.499	1.335
		10	0.187	0.300
		11	-	0.360
		12	-	0.370
		15	-	0.370
		16	-	1.040

4. 期數的設計的資料

INFORMATION ON DESIGN OF THE PHASE

座數 Tower	樓層 Floor	單位 Flat	每個住宅物業的非結構 的預製外牆的總面積 (平方米) Total area of the non-structural prefabricated external walls of each residential property (sq.m.)	每個住宅物業的幕牆 的總面積 (平方米) Total area of curtain walls of each residential property (sq.m.)
第5座 Tower 5	2樓-3樓、 5樓-12樓及 15樓-18樓 2/F-3/F, 5/F-12/F & 15/F-18/F	01	0.345	1.155
		02	-	0.730
		03	0.337	1.155
		05	-	0.695
		06	-	0.710
		07	-	0.710
		08	-	0.360
		09	0.499	1.335
		10	0.187	0.300
		11	-	0.360
		12	-	0.370
		15	-	0.370
		16	-	1.040
	19樓 19/F	01	1.139	1.855
		05	-	0.695
		06	-	0.710
		07	-	0.710
		08	-	0.360
		09	0.499	1.335
		10	0.187	0.300
		11	-	0.360
		12	-	0.370
		15	-	0.370
		16	-	1.040

備註：不設4樓、13樓及14樓。
Note : 4/F, 13/F and 14/F are omitted.