1. EXTERIOR FINISHES

a.	External wall	Type of finishes	Podium: With ceramic tiles, glass wall, glass cladding, aluminium cladding, aluminium louvre, aluminium feature and external paint Residential tower: With ceramic tiles, curtain wall, aluminium cladding, aluminium louvre, aluminium feature and external paint			
		Material of frame	Fluorocarbon coating aluminium frame			
b.	Window	Material of glass	Grey tinted glass for windows in all residential units Frosted glass for windows in bathrooms (Flats A, D and G)			
6	Paywindow	Material of bay window	Not applicable			
C.	Bay window	Finishes of window sill	Not applicable			
d.	Planter	Type of finishes	Not applicable			
e.	Verandah or balcony	Type of finishes	Balcony Balcony: Installed with laminate glass balustrade Floor: Ceramic tiles and artificial wood deck Wall: Ceramic tiles Ceiling: Installed with aluminium false ceiling			
		Whether it is covered	Balcony is covered			
		Verandah	Not applicable			
£	Druing facilities for clothing	Туре	Not applicable			
ı.	Drying facilities for clothing	Material	Not applicable			

2. INTERIOR FINISHES

			Wall	Floor	Ceiling
		G/F residential entrance lobby finishes	Glass panel, wood veneer with stainless steel, natural stone and metal panel to exposed surface	Natural stone	Partly gypsum board false ceiling with emulsion paint Partly metal panel and wood veneer
a.	Lobby	Residential floor lift lobby finishes	Plastic laminate, natural stone and metal panel to exposed surface	Ceramic tiles	Partly gypsum board false ceiling with emulsion paint Partly plastic laminate
			Wall	Ceiling	
		Living room finishes	Emulsion paint	Emulsion paint	
b.	Internal wall and ceiling	Dining room finishes	Emulsion paint	Emulsion paint	
		Bedroom finishes	Emulsion paint	Emulsion paint	
			Floor	Skirting	
		Material of living room	Ceramic tiles	Timber skirting	
C.	Internal floor	Material of dining room	Ceramic tiles	Timber skirting	
		Material of bedroom	Ceramic tiles	Timber skirting	

2. INTERIOR FINISHES

			Wall		Floor	Ceiling	
d	Bathroom	Type of finishes	Ceramic tiles to exposed surface		Ceramic tiles to exposed surface	Gypsum board false	e ceiling with emulsion paint
d.	Datificom	Whether the wall finishes run up to ceiling	Up to level of false ceiling only				
			Wall	Floor	Ceiling		Cooking Bench
	Kitchen	Type of finishes	Glass panel and plastic laminate to exposed surface	Ceramic tiles to exposed surface	Partly gypsum board false ceiling and partly emulsion paint		Solid surfacing material
e.	RICHEII	Whether the wall finishes run up to ceiling	Up to level of false ceiling only				

3. INTERIOR FITTINGS

			Material	Finishes	Accessories
		Main entrance door	Fire-rated solid core timber swing door	Plastic laminate and wood veneer	Electrical lockset, door closer, door stopper and eye viewer
		Balcony door	Aluminium frame sliding door	Grey tinted glass	Lockset
	Doors	Flat roof door (Flats A, B, C, D, E, F, G and J on 3/F)	Aluminium frame sliding door	Grey tinted glass	Lockset
		Flat roof door (Flat G on 3/F)	Aluminium frame swing door	Grey tinted glass	Lockset and door stopper
a.		Bedroom door (Flats A, D, E, F and G on 3/F, 5/F-12/F, 15/F-23/F, 25/F-30/F)	Hollow core timber swing door	Wood veneer	Lockset and door stopper
a.		Bedroom door (Flats B and C on 3/F, 5/F-12/F, 15/F-23/F, 25/F-30/F)	Aluminium frame sliding door	Glass and wood veneer	Not applicable
		Bathroom door (Flats A, B, C, E, F, H and J on 3/F, 5/F-12/F, 15/F-23/F, 25/F-30/F)	Hollow core timber sliding door	Wood veneer and stainless steel louver	Lockset
		Bathroom door (Flats D and G on 3/F, 5/F-12/F, 15/F-23/F, 25/F-30/F)	Hollow core timber swing door	Wood veneer and stainless steel louver	Lockset
		Roof door	Stainless steel swing door	Not applicable	Lockset

3. INTERIOR FITTINGS

			Fittings & equipment	Туре	Material
			Clari	Countertop	Solid surfacing material
			Cabinet	Cabinet	Timber basin cabinet and timber mirror cabinet
				Wash basin mixer	Chrome plated
				Water closet	Vitreous china
		(i) Type and material of		Paper holder	Chrome plated
		fittings and equipment	Bathroom fittings	Ledge	Chrome plated
				Shower compartment	Tempered glass
b.	Bathroom			Towel bar	Chrome plated
				Wash basin	Vitreous china
			Bathroom appliances	For the appliances provision and brand name, please refer to the "Appliances Schedule"	
		(ii) Type and material of wate	er cumply system	Cold water supply	Copper water pipes
		(ii) Type and material of water supply system		Hot water supply	Copper water pipes with thermal insulation
		(iii) Type and material of bathing facilities (including shower or bath tub, if applicable)	Shower	Shower set	Chrome plated
			Bath tub	Nil	Not applicable
		(iv) Size of bath tub, if applicable		Not applicable	Not applicable
			Material		
		(i) Sink unit	Stainless steel		
		(ii) Water supply system	Copper water pipes for cold water supply are provided. Copp	er water pipes with thermal insulation for hot wat	er supply are provided.
			Material	Finishes	
C.	Kitchen	(iii) Kitchen cabinet	Timber cabinet with door panel	Plastic laminate	
			Fire service installations and equipment	Ceiling-mounted smoke detector and sprinkler h	nead are fitted in or near open kitchen
		(iv) Type of all other fittings and equipment	Other fittings	Chrome plated sink mixer	
			Other equipment	For the appliances provision and brand name, pl	ease refer to the "Appliances Schedule"

3. INTERIOR FITTINGS

			Fittings	Туре	Material			
-1	Dadua - us	Fittings (including built- in	Built-in Cabinet	Not applicable	Not applicable			
d.	Bedroom	wardrobe)	Other fittings	Not applicable	Not applicable			
e.	Telephone	Location and number of connection points	Please refer to the "Schedule and Location of Electrical & Me	echanical Provisions"				
f.	Aerials	Location and number of connection points	Please refer to the "Schedule and Location of Electrical & Me	echanical Provisions"				
			Fittings	Туре				
		(i) Flooring Stationer	Electrical fittings	Faceplate for all switches and power sockets				
		(i) Electrical fittings (including safety devices)	Safety devices	Single phase electricty supply with miniature circuit breaker distribution board				
g.	Electrical installations	(ii) Whether conduits are concealed or exposed	Conduits are partly concealed and partly exposed ¹					
		(iii) Location and number of power points and air-conditioner points	Please refer to the "Schedule and Location of Electrical & Mechanical Provisions"					
		Туре	Town Gas					
h.	Gas supply	System	Gas piping is provided and connected to gas water heater and gas hob					
		Location	For the location of gas connection points, please refer to the "Schedule and Location of Electrical & Mechanical Provisions"					
i	Washing machine	Location	Please refer to the "Schedule and Location of Electrical & Me	echanical Provisions"				
1.	connection point	Design	Drain point and water point are provided for washing mach	Drain point and water point are provided for washing machine				
		Material of water pipes	Copper water pipes are provided for cold water supply. Cop	per water pipes with thermal insulation are provi	ded for hot water supply.			
j.	Water supply	Whether water pipes are concealed or exposed	Water pipes are partly concealed and partly exposed ²					
		Whether hot water is available	Hot water supply to kitchen and bathroom					

- Remarks: 1. Other than those parts of the conduits concealed within concrete, the rest of them are exposed. The exposed conduits may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.
 - 2. Other than those parts of the water pipes concealed within concrete, the rest of them are exposed. The exposed water pipes may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.

4. MISCELLANEOUS

				Residential lift				
		(i) Brand name and	Brand Name	Mitsubishi				
	Lifts	model number	Model Number	NexWay-S				
a.	LIICS	(ii) Number and floors	Number of lifts	2				
		served by them	Floor served by the lifts	G/F, 1/F - 3/F, 5/F - 12/F, 15/F - 23/F, 25/F -	30/F			
b.	Letter box	Material	Metal	Metal				
	Refuse	(i) Means of refuse collection	Collected by cleaners					
C.	collection	(ii) Location of refuse room	Refuse storage and material recovery room is provided Refuse storage and material recovery chamber is provi	d at the common area on each residential floor. ided on G/F.	e common area on each residential floor. n G/F.			
			Water meter	Electricity meter	Gas meter			
	Water meter,	(i) Location	Inside common water meter cabinet at each floor	Inside common electric meter room at each floor	At high level of flat roof (Flats A, B, C, D, E, F, G and J on 3/F) At high level of balcony (Flat H on 3/F and all Flats on 5/F-12/F, 15/F-23/F and 25/F-30/F)			
d.	electricity meter and gas meter	(ii) Whether they are separate or communal meters for residential properties	Separate meter	Separate meter	Separate meter			

5. SECURITY FACILITIES

Security system and	Access control and security system	Visitor panel with access card reader is installed at the main entrance lobby. Door phone with security alarm is provided inside each residential unit and connecting to the caretaker office at the residential entrance lobby on G/F.		
equipment	CCTV	CCTVs are installed at main entrance lobby, 2/F lift lobby, roof, upper roof floor1 and all the lifts connecting directly to the caretaker office at the residential entrance lobby on G/F.		
Details of built-in provisions	Door phone is provided inside ea	nch residential unit and connecting to the caretaker office at the residential entrance lobby		
Location of built-in provisions For the location of door phone, please refer to the "Schedule and Location of Electric		lease refer to the "Schedule and Location of Electrical & Mechanical Provisions"		

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the development, lifts or appliances of comparable quality will be installed.

6. APPLIANCES SCHEDULE

Location	Appliance	Flate apply	Brand	Model No. (if any)		
Location	Аррнансе	Flats apply	Dianu	Indoor Unit	Outdoor Unit	
		Flats A, B, C, D, E, F and G on 3/F, 5/F-12/F, 15/F-23/F and 25/F-29/F	Mitsubishi	MSY-GJ13VA	MUY-GJ13VA	
Living Room and Dining Room	Split Type Air-Conditioner	Flats H and J on 3/F, 5/F-12/F, 15/F-23/F and 25/F-29/F	Mitsubishi	MS-GJ12VA	MU-GJ12VA	
		All flats on 30/F	Mitsubishi	MSY-GK18VA	MUY-GK18VA	
Bedroom	Split Type Air-Conditioner	Flats A, B, C, D, E, F and G on 3/F, 5/F-12/F, 15/F-23/F and 25/F-29/F Mitsubishi		MS-GJ09VA	MU-GJ09VA	
Bediooni		Flats A, B, C, D, E, F and G on 30/F	Mitsubishi	MS-GJ12VA	MU-GJ12VA	
Location	Appliance	Flats apply	Brand	Model No. (if any)		
	Built-in Refrigerator	All flats	Siemens	KU15LA65HK		
	Built-in Microwave Oven	All flats	Siemens	BF525LMS0H		
Kitchen	Cooker Hood	All flats	Siemens	L	167SA530B	
	Built-in Washer Dryer	All flats	Siemens	W	K14D321HK	
	Built-in Gas Hob	All flats	Mia Cucina	MY32C		
Bathroom	Exhaust Fan	All flats	GELEC	DPT07-13H		
Balcony Gas Water Heater		All flats	TGC	RBOX1	6QR / RBOX16QL	

The vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the development, lifts or appliances of comparable quality will be installed.

1. 外部裝修物料

a.	外牆	裝修物料的類型	基座 : 鋪砌瓷磚、玻璃外牆、玻璃飾板、鋁飾板、鋁百葉、鋁飾條及髹外牆漆 住宅大樓: 鋪砌瓷磚、幕牆、鋁飾板、鋁百葉、鋁飾條及髹外牆漆
		框的用料	氟化碳噴塗鋁窗框
b.	分 図	玻璃的用料	所有單位窗戶為灰玻璃 浴室窗戶為磨砂玻璃(A、D及G室)
	窗台	窗台的用料	不適用
C.	図日	窗台板的裝修物料	不適用
d.	花槽	裝修物料的類型	不適用
e.	陽台或露台	装修物料的類型	露台 露台 : 裝有夾層玻璃欄河 地台 : 鋪砌瓷磚及人造木平台 牆身 : 鋪砌瓷磚 天花 : 裝有鋁質假天花
		是否有蓋	露台設有上蓋
		陽台	不適用
ŧ	乾衣設施	類型	不適用
f.	キと2 人可又が世	用料	不適用

2. 室內裝修物料

			牆壁		地板		天花板	
	大堂	地下住宅入口大堂 裝修物料	外露牆身鋪砌玻璃飾面板、木皮飾面連不鎖 天然石及金屬板	秀錮、	天然石		部分石膏板假天和部分金屬板及木成	
a.	人星	住宅樓層升降機大堂 裝修物料	外露牆身鋪砌膠板、天然石及金屬板		瓷磚		部分石膏板假天花 部分膠板	E
			牆壁		天花板			
		客廳裝修物料	乳膠漆		乳膠漆			
b.	內牆及天花板	飯廳裝修物料	乳膠漆		乳膠漆			
		睡房裝修物料	乳膠漆		乳膠漆	乳膠漆		
			地板		ー ・ ・ ・ ・ ・ ・ ・ ・ ・ ・			
		客廳的用料	瓷磚		木腳線			
C.	內部地板	飯廳的用料	瓷磚		木腳線			
		睡房的用料	瓷磚		木腳線			
			牆壁		地板		天花板	
		裝修物料的類型	外露牆身鋪砌瓷磚		外露地台鋪	 砌瓷磚	石膏板假天花髹郛	上膠漆
d.	浴室	牆壁的裝修物料是否 鋪至天花板	裝修物料鋪至假天花底	裝修物料鋪至假天花底				
			牆壁 地板			天花板		灶台
		裝修物料的類型	外露牆身鋪砌玻璃飾面板及膠板	外露地台鋪砌瓷砌	暷	部分石膏板假天花及部分髹郛	 L膠漆	無縫人造物料
e.	廚房	牆壁的裝修物料是否 鋪至天花板	裝修物料鋪至假天花底					

3. 室內裝置

			用料	裝修物料	配件
		單位大門	實心防火木掩門	膠板及木皮飾面	電子門鎖、門鼓、門擋及防盜眼
		露台門	鋁框趟門	灰玻璃	門鎖
		平台門 (3樓A、B、C、D、E、F、G 及J室)	<u>鋁框趟門</u>	灰玻璃	門鎖
		平台門 (3樓G室)	<u>鋁框掩門</u>	灰玻璃	門鎖及門擋
	55	睡房門 (3樓、5樓-12樓、15樓-23樓、 25樓-30樓A、D、E、F及G室)	中空木掩門	木皮飾面	門鎖及門擋
a.	門	睡房門 (3樓、5樓-12樓、15樓-23樓、 25樓-30樓B及C室)	鋁框趟門	玻璃及木皮飾面	不適用
		浴室門 (3樓、5樓-12樓、15樓-23樓、 25樓-30樓A、B、C、E、F、H 及J室)	中空木趟門	木皮飾面及不銹鋼百葉窗	門鎖
		浴室門 (3樓、5樓-12樓、15樓-23樓、 25樓-30樓D及G室)	中空木掩門	木皮飾面及不銹鋼百葉窗	門鎖
		天台門	不銹鋼掩門	不適用	門鎖
			裝置及設備	類型	用料
			Ties	櫃枱面	無縫人造物料
			櫃	櫃	木製洗手盆櫃及木製鏡櫃
				洗手盆龍頭	鍍鉻
				座廁	搪瓷
h	浴室	(i) 裝置及設備的類型		廁紙架	鍍鉻
b.	石里	及用料	潔具	儲物架	鍍鉻
				淋浴間	鋼化玻璃
				毛巾架	鍍鉻
				洗手盆	搪瓷
			浴室設備	隨樓附送之設備及品牌,請參閱「設備說明	T

3. 室內裝置

			裝置及設備	類型	用料					
	浴室	(…) 供业交统的短刑互用机		冷水喉	銅喉					
		(ii) 供水系統的類型及用料		熱水喉	配有隔熱絕緣之銅喉					
b.		(iii) 沐浴設施(包括花灑	花灑	花灑套裝	鍍鉻					
		或浴缸,如適用的話)	浴缸	沒有	不適用					
		(iv) 浴缸大小(如適用的話)		不適用	不適用					
			用料							
	廚房	(i) 洗滌盆	不銹鋼							
		(ii) 供水系統	冷水喉採用銅喉及熱水喉採用配有隔熱絕緣之銅喉							
			用料	裝修物料						
C.		(iii)廚櫃	木製廚櫃配櫃門板	膠板						
		(iv)所有其他裝置及 設備的類型	消防裝置及設備	開放式廚房內或附近的天花裝置煙霧探測器及消防花灑頭						
			其他裝置	鍍鉻洗滌盆水龍頭						
			其他設備	隨樓附送之設備及品牌,請參閱「設備說明」						
			裝置	類型	用料					
d.	睡房	装置(包括嵌入式衣櫃)	嵌入式櫃	不適用	不適用					
u.		其他裝置		不適用	不適用					
е.	電話	接駁點的位置及數目	請參閱「機電裝置位置及數量說明表」							
f.	天線	接駁點的位置及數目	請參閱「機電裝置位置及數量說明表」							

3. 室內裝置

			- 装置	類型				
		(i) 供電附件 (包括安全裝置)	供電附件	提供電掣及插座之面板				
	電力裝置		安全裝置	單相電力並裝妥微型斷路器				
g.		(ii) 導管是隱藏或外露	導管是部分隱藏及部分外露 ¹					
		(iii)電插座及空調機接駁點 的位置及數目	請參閱「機電裝置位置及數量說明表」	機電裝置位置及數量說明表」				
		類型	煤氣					
h.	氣體供應	系統	煤氣喉接駁煤氣熱水爐及煤氣煮食爐					
		位置	煤氣接駁點的位置請參閱「機電裝置位置及數量說明表」					
i.	洗衣機接駁點	位置 請參閱「機電裝置位置及數量說明表」						
1.	/儿少八及]女闷火而口	記憶	設有洗衣機來、去水接駁喉位					
		水管的用料	冷水喉採用銅喉及熱水喉採用配有隔熱絕緣之銅喉					
j.	供水	水管是隱藏或外露	水管是部分隱藏及部分外露 ²					
		有否熱水供應	廚房和浴室供應熱水					

備註:

- 1. 除部分隱藏於混凝土內之導管外,其他部分的導管均為外露。外露的導管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋或隱藏。
- 2. 除部分隱藏於混凝土內之水管外,其他部分的水管均為外露。外露的水管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋或隱藏。

4. 雜項

				住宅升降機					
	升降機	(i) 品牌名稱及產品型號	品牌名稱	三菱					
			產品型號	NexWay-S					
a.		(ii) 升降機的數目及	升降機的數目	2部					
		到達的樓層	到達的樓層	地下、1樓至3樓、5樓至12樓、15樓至23樓及25樓至30樓					
b.	信箱	用料	金屬						
	垃圾收集	(i) 垃圾收集的方法	由清潔工人收集垃圾						
C.		(ii) 垃圾房的位置	每層住宅樓層之公用地方均設有垃圾及物料回收房,中央垃圾房設於地下。						
			水錶	電錶	氣體錶				
d.	水錶、電錶 及氣體錶	(i) 位置	每層之公共水錶櫃	每層之公共電錶房	平台高位 (3樓A、B、C、D、E、F、G及J室) 露台高位 (3樓H室及5樓-12樓、15樓-23樓、25樓-30樓 的所有室)				
		(ii)就住宅單位而言是獨立 或公用的錶	獨立	獨立	獨立				

5. 保安設施

保安系統及設備	入口通道控制及保安系統	及保安系統 入口大堂設有訪客對講機及智能卡讀卡器。各住宅單位均裝置對講機,並設有警報掣功能連接地下住宅入口大堂管理處。				
未久示礼/又改 開	閉路電視 大廈入口大堂、2樓升降機大堂、天台、高層天台1及所有升降機均裝有閉路電視連接地下住宅入口大堂管理處。					
嵌入式的裝備的細節	各住宅單位均裝配對講機連接住宅入口大堂管理處					
嵌入式的裝備的位置 對講機的位置請參閱「機電裝置位置及數量說明表」						

賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備,便會安裝品質相若的升降機或設備。

6. 設備說明

位置	設備	適用單位	品牌	型號 (如有)			
1年	京文 川	│	口口力学	室內機	室外機		
		3樓、5樓-12樓、15樓-23樓、25樓-29樓 A、B、C、D、E、F及G室	三菱	MSY-GJ13VA	MUY-GJ13VA		
客廳及飯廳	分體式冷氣機	3樓、5樓-12樓、15樓-23樓、25樓-29樓 H及J室	三菱	MS-GJ12VA	MU-GJ12VA		
		30樓的所有室	三菱	MSY-GK18VA	MUY-GK18VA		
睡房	分體式冷氣機	3樓、5樓-12樓、15樓-23樓、25樓-29樓 A、B、C、D、E、F及G室	三菱	MS-GJ09VA	MU-GJ09VA		
P. 175	フリ 日立 エレノマ 木いり次	30樓A、B、C、D、E、F及G室	三菱	MS-GJ12VA	MU-GJ12VA		
位置	設備	適用單位	品牌	型號 (如有)			
	嵌入式雪櫃	所有室	西門子	KU15LA65HK			
	嵌入式微波爐	所有室	西門子	BF525LMS0H			
廚房	抽油煙機	所有室	西門子	L167S	A530B		
	嵌入式洗衣乾衣機 所有室		西門子	WK14D321HK			
	嵌入式煤氣煮食爐	所有室	Mia Cucina	MY32C			
浴室	抽氣扇	所有室	GELEC	DPT07-13H			
露台	煤氣熱水爐	所有室	TGC	RBOX16QR / RBOX16QL			

賣方承諾如該項目中沒有安裝指明的品牌名稱或產品型號的升降機或設備,便會安裝品質相若的升降機或設備。

Schedule and Location of Electrical & Mechanical Provisions of 3/F, 5/F-12/F, 15/F-23/F and 25/F-30/F Residential Units

3樓、5樓-12樓、15樓-23樓及25樓-30樓住宅單位機電裝置位置及數量說明表

3樓、5樓-12樓、15樓-23樓及25樓-30樓任毛里位機電装I										
Location 位置	Description 描述	A	В	С	D	Е	F	G	Н	J
	TV/FM Outlet 電視/電台天線插座	1	2	2	1	1	1	1	1	1
	Telephone Outlet 電話插座	1	1	1	1	1	1	1	1	1
	Single Socket Outlet 單頭電插座	1	1	1	1	1	1	1	1	1
Living Room and Dining Room 客廳及飯廳	Twin Socket Outlet 雙頭電插座	1	1	1	1	1	1	1	1	1
	Data Outlet 數據插座	1	1	1	1	1	1	1	1	1
	Connection Point for A/C indoor unit 室內空調機接駁點	1	1	1	1	1	1	1	1	1
	Door phone 對講機	1	1	1	1	1	1	1	1	1
	Twin Socket Outlet 雙頭電插座	1	1	1	1	1	1	1	-	-
Bedroom	TV/FM Outlet 電視/電台天線插座	1	-	-	1	1	1	1	-	-
睡房	Telephone Outlet 電話插座	1	1	1	1	1	1	1	-	-
	Connection Point for A/C indoor unit 室內空調機接駁點	1	1	1	1	1	1	1	-	-
Balcony (Flat H on 3/F and all Flats on 5/F-12/F, 15/F-23/F, 25/F-30F) 露台 (適用於3樓H室及5樓-12樓、15樓-23樓及 25樓-30樓的所有室)	Gas Connection Point 煤氣接駁點	1	1	1	1	1	1	1	1	1
Bathroom 浴室	Single Socket Outlet 單頭電插座	1	1	1	1	1	1	1	1	1
	Twin Socket Outlet 雙頭電插座	1	1	1	1	1	1	1	1	1
Open Kitchen 開放式廚房	Miniature Circuit Breaker Board 微型斷路器配電箱	1	1	1	1	1	1	1	1	1
	Connection Point for Washer Dryer 洗衣乾衣機接駁點	1	1	1	1	1	1	1	1	1
Flat Roof	Weatherproof Single Socket Outlet 防水單頭電插座	1	1	1	1	1	1	2	-	1
平台	Gas Connection Point 煤氣接駁點	1	1	1	1	1	1	1	-	1
Roof 天台	Weatherproof Single Socket Outlet 防水單頭電插座	1	1	1	1	1	1	1	1	1