

在本頁上之備註和圖例適用於全部的「發展項目的住宅物業的樓面平面圖」頁數。
The remarks and legends on this page apply to all pages of “Floor plans of residential properties in the development”.

樓面平面圖圖例
Legends of the Floor Plans

A.D.	= Air Duct 排風管
A/C UNIT	= Air-conditioning Unit 冷氣機
A/C PLATFORM	= Air-conditioner Platform 冷氣機平台
ACOUSTIC DOOR	= Acoustic Door (Baffle Type) 隔音門 (擋板式)
ACOUSTIC WINDOW	= Acoustic Window (Baffle Type) 隔音窗 (擋板式)
ALUM. ARCH. FEATURE	= Aluminium Architectural Feature 鋁質建築裝飾
ARCH. FEATURE	= Architectural Feature 建築裝飾
B.R.	= Bedroom 睡房
BAL.	= Balcony 露台
BATH	= Bathroom 浴室
DIN.	= Dining Room 飯廳
DN	= Down 落
DOGHOUSE	= Mechanical & Electrical Services Duct connecting to the Floor Below 機電管道
E.L.V.	= Extra Low Voltage Cable Duct 特低壓電線槽
E.M.R.	= Electric Meter Room 電錶房
F.H.	= Fire Hydrant 消防栓
F.S.P.D.	= Fire Services Pipe Duct 消防管道
H/L	= High Level 高位
H.R.	= Hose Reel 消防喉轆
KIT.	= Kitchen 廚房
L.V. Switch Room	= Low Voltage Switch Room 低壓掣房
L/L	= Low Level 低位
LAV.	= Lavatory 洗手間
LIV.	= Living Room 客廳
M.B.R.	= Master Bedroom 主人睡房
M. BATH	= Master Bathroom 主人浴室
Open Kit.	= Open Kitchen 開放式廚房
P.D.	= Pipe Duct 管道
R.S.M.R. RM.	= Refuse Storage and Material Recovery Room 垃圾及物料回收室
STORE	= Store Room 儲物房
T.R.S.	= Temporary Refuge Space 臨時庇護處
TBE Room	= Telecommunications and Broadcasting Room 電訊及廣播設備室
U.P.	= Utility Platform 工作平台
W.M.C.	= Water Meter Cabinet 水錶櫃
	= Built-in fittings provided in the flats 隨樓附送嵌入式裝置

備註：

- 部分住宅物業的露台、工作平台、平台、天台或外牆或設有外露之公用喉管，或外牆裝飾板內藏之公用喉管。
- 部分住宅物業內之部分天花或有跌級樓板，用以安裝上層之機電設備或配合上層之結構、建築設計及 / 或裝修設計上的需要。
- 部分住宅物業內或設有假陣或假天花用以安裝冷氣喉管及 / 或其他機電設備。
- 平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
- 各住宅物業的樓面平面圖內所展示之裝置及設備的圖標如浴缸、洗手盆、座廁、淋浴間、洗滌盆、櫃(如有)等乃根據最新經批准的建築圖則擬備，其形狀、尺寸、比例或與實際提供的裝置及設備存在差異，僅供示意及參考之用。

Remarks:

- Common pipes exposed or enclosed in cladding may be located at the balcony, utility platform, flat roof, roof or external wall of some residential properties.
- There may be sunken slabs at some parts of the ceiling inside some residential properties for the installation of mechanical and electrical services of the floor above or due to the structural, architectural and/or decoration design requirements of the floor above.
- There may be ceiling bulkheads or false ceiling inside some residential properties for the installation of airconditioning conduits and/or other mechanical and electrical services.
- The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.
- Those icons of fittings and fitments shown on the floor plans of residential properties like bathtubs, wash basins, water closets, shower cubicles, sink units, cabinets (if any) etc. are prepared in accordance with the latest approved building plans. Their shapes, dimensions, scales may be differed from the fittings and fitments actually provided and they are for indication and reference only.

第1座 2樓平面圖
Tower 1 2/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B
樓層 Floor			
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	2樓 2/F	3000, 3050, 3300	2800, 2850, 2950, 3050, 3250, 3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 175

比例： 0米/M 5米/M
Scale : 



10 發展項目的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

第1座 3樓、5樓-12樓、15樓-23樓、25樓-32樓平面圖
Tower 1 3/F, 5/F-12/F, 15/F-23/F, 25/F-32/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends for the floor plans of residential properties.


Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C (5樓至12 樓、15樓至 23樓、25樓 至31樓) (5/F-12/F, 15/F-23/F, 25/F-31/F)	C (3樓) (3/F)
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	3樓、 5樓-12樓、 15樓-23樓及 25樓-31樓	3300	3300	3300	3300
樓板(不包括灰泥) 的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)	3/F, 5/F-12/F, 15/F-23/F and 25/F-31/F	150, 175	150, 175	150	150
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	32樓 32/F	2850, 3100, 3200, 3250, 3300, 3500%	3200, 3300, 3450, 3500, 3500%	3300, 3350, 3500%	
樓板(不包括灰泥) 的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 350%, 375%	150, 350%, 375%	150, 350%	

% 包括結構層上之混凝土填充層厚度(200 毫米)

% Inclusive of the thickness of mass concrete fill on slab (200mm)

比例：0米/M 5米/M
Scale： 



10 發展項目的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

第1座 31樓平面圖
Tower 1 31/F Floor Plan

第1座31樓A單位在發展項目落成後進行獲《建築物條例》(第123章)豁免的工程而有所改動，該等改動的大概位置已於本樓面平面圖中作標示。

第1座31樓A單位的改動工程包括：

- (A) 原睡房2的間隔牆及門被移除並以新聞隔牆取代。
- (B) 原主人睡房與睡房2之間的間隔牆被移除。

Flat A on 31/F of Tower 1 has been altered by way of exempted works under the Buildings Ordinance (Cap. 123) after completion of the Development. The approximate locations of alterations are indicated on this floor plan. Alteration works for Flat A on 31/F of Tower 1 include:

- (A) Original partition wall and door of Bedroom 2 have been removed and replaced with new partition wall.
- (B) Original partition wall between Master Bedroom and Bedroom 2 has been removed.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C
樓層 Floor				
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	31樓 31/F	3300	3300	3300
樓板(不包括灰泥) 的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 175	150

比例：0米/M 5米/M
Scale :



10 發展項目的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

第1座 31樓現狀間隔平面圖
As-Is Floor Plan for Tower 1 31/F

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C
樓層 Floor				
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	31樓 31/F	3300	3300	3300
樓板(不包括灰泥) 的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 175	150

比例：0米/M 5米/M
Scale :



10 發展項目的住宅物業的樓面平面圖 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

第1座 12樓平面圖 Tower 1 12/F Floor Plan

第1座12樓A單位在發展項目落成後進行獲《建築物條例》(第123章)豁免的工程而有所改動，該等改動的大概位置已於本樓面平面圖中作標示。

第1座12樓A單位的改動工程包括：

(A) 原睡房2的間隔牆及門被移除並以新聞隔牆取代。

(B) 原主人睡房與睡房2之間的間隔牆被移除。

Flat A on 12/F of Tower 1 has been altered by way of exempted works under the Buildings Ordinance (Cap. 123) after completion of the Development. The approximate locations of alterations are indicated on this floor plan.

Alteration works for Flat A on 12/F of Tower 1 include:

(A) Original partition wall and door of Bedroom 2 have been removed and replaced with a new partition wall.

(B) Original partition wall between Master Bedroom and Bedroom 2 has been removed.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C
樓層 Floor				
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	12樓 12/F	3300	3300	3300
樓板(不包括灰泥) 的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 175	150

比例：0米/M 5米/M
Scale: 



10 發展項目的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

第1座12樓現狀間隔平面圖
As-Is Floor Plan for Tower 1 12/F

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C
樓層 Floor				
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	12樓 12/F	3300	3300	3300
樓板(不包括灰泥) 的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 175	150

比例： 0米/M 5米/M
Scale :



10 發展項目的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

第1座 19樓平面圖
Tower 1 19/F Floor Plan

第1座19樓A單位在發展項目落成後進行獲《建築物條例》(第123章)豁免的工程而有所改動，該等改動的大概位置已於本樓面平面圖中作標示。

第1座19樓A單位的改動工程包括：

(A) 原睡房2的間隔牆及門被移除並以新聞隔牆取代。

(B) 原主人睡房與睡房2之間的間隔牆被移除。

Flat A on 19/F of Tower 1 has been altered by way of exempted works under the Buildings Ordinance (Cap. 123) after completion of the Development. The approximate locations of alterations are indicated on this floor plan.

Alteration works for Flat A on 19/F of Tower 1 include:

(A) Original partition wall and door of Bedroom 2 have been removed and replaced with a new partition wall.

(B) Original partition wall between Master Bedroom and Bedroom 2 has been removed.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C
樓層 Floor				
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	19樓 19/F	3300	3300	3300
樓板(不包括灰泥) 的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 175	150

比例：0米/M 5米/M
Scale : 



10 發展項目的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

第1座19樓現狀間隔平面圖
As-Is Floor Plan for Tower 1 19/F

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C
樓層 Floor				
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	19樓 19/F	3300	3300	3300
樓板(不包括灰泥) 的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 175	150

比例： 0米/M 5米/M
Scale :



第1座 33樓平面圖
Tower 1 33/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。


備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat 樓層 Floor	單位 Flat	
		A	C
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	33樓 33/F	3500	3500
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175, 200	150



比例：0米/M 5米/M
Scale :

第2座 2樓平面圖
Tower 2 2/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B
樓層 Floor			
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	2樓 2/F	2750, 2800, 2850, 3050, 3250, 3300	2800, 2950, 3000, 3050, 3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150

比例：0米/M 5米/M
Scale : 



第2座 3樓、5樓-12樓、15樓-23樓、25樓-32樓平面圖
Tower 2 3/F, 5/F-12/F, 15/F-23/F, 25/F-32/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.


每個住宅物業 Each Residential Property	單位 Flat	A	B
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	3樓、5樓-12樓、 15樓-23樓及 25樓-31樓 3/F, 5/F-12/F, 15/F-23/F and 25/F-31/F	3300	3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)	3/F, 5/F-12/F, 15/F-23/F and 25/F-31/F	150, 175	150
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	32樓 32/F	3300, 3350, 3500%	3300, 3350, 3500, 3500%
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175, 350%, 375%	150, 350%

% 包括結構層上之混凝土填充層厚度 (200 毫米)
% Inclusive of the thickness of mass concrete fill on slab (200mm)

比例： 0米/M 5米/M
Scale : 



第2座 33樓平面圖
Tower 2 33/F Floor Plan



因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B
樓層 Floor			
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	33樓 33/F	3175, 3375, 3500	3500
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150	150

比例：0米/M 5米/M
Scale : 



第3座 2樓平面圖
Tower 3 2/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C	D
樓層 Floor					
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	2樓 2/F	3050, 3300	2800, 2850, 3000, 3050, 3300	3000, 3300	2950, 3000, 3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 275	150, 175	150	150

比例：0米/M 5米/M
Scale :



10 發展項目的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

第3座 3樓、5樓-12樓、15樓-23樓、25樓-32樓平面圖
Tower 3 3/F, 5/F-12/F, 15/F-23/F, 25/F-32/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.


Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C	D
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	3樓、5樓-12樓、 15樓-23樓及 25樓-31樓 3/F, 5/F-12/F, 15/F-23/F and 25/F-31/F	3300	3300	3300	3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 275	150, 175	150	150
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	32樓 32/F	3300, 3450, 3500%	3300, 3500%	3300, 3500%	3300, 3500, 3500%
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 275, 350%	150, 175, 350%, 375%	150, 350%	150, 350%

% 包括結構層上之混凝土填充層厚度 (200 毫米)

% Inclusive of the thickness of mass concrete fill on slab (200mm)

比例：0米/M 5米/M
Scale： 



10 發展項目的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

第3座 20樓平面圖
Tower 3 20/F Floor Plan

第3座20樓B單位在發展項目落成後進行獲《建築物條例》(第123章)豁免的工程而有所改動，該等改動的大概位置已於本樓面平面圖中作標示。

第3座20樓B單位的改動工程包括：

(A) 原主人睡房的嵌入式裝置被移除。

(B) 原儲物房的間隔牆及門被移除並以新新聞隔牆及門取代，另在儲物房新增嵌入式裝置。

Flat B on 20/F of Tower 3 has been altered by way of exempted works under the Buildings Ordinance (Cap. 123) after completion of the Development. The approximate locations of alterations are indicated on this floor plan.

Alteration works for Flat B on 20/F of Tower 3 include:

(A) Original built-in fittings of Master Bedroom have been removed.

(B) Original partition wall and door of Store Room have been removed and replaced with new partition wall and door, and a new built-in fittings have been added to the store room.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C	D
樓層 Floor					
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	20樓 20/F	3300	3300	3300	3300
樓板(不包括灰泥) 的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 275	150, 175	150	150

比例：0米/M 5米/M
Scale： 



10 發展項目的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

第3座 20樓位現狀間隔平面圖
As-Is Floor Plan for Tower 3 20/F

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	樓層 Floor	單位 Flat	A	B	C	D
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	20樓 20/F		3300	3300	3300	3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)			150, 275	150, 175	150	150

比例：0米/M 5米/M
Scale :



第3座 33樓平面圖
Tower 3 33/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。


備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	C	D
樓層 Floor				
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	33樓 33/F	3110, 3500	3500	3500
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175, 200	150	150



比例：0米/M 5米/M
Scale :

第5座 2樓平面圖
Tower 5 2/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B
樓層 Floor			
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	2樓 2/F	2850, 3000, 3050, 3250, 3300	2850, 3050, 3250, 3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 175

比例：0米/M 5米/M
Scale :



第5座 3樓、5樓-12樓、15樓-23樓、25樓-32樓平面圖

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.


Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	樓層 Floor	單位 Flat	A	B
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	3樓、5樓-12樓、 15樓-23樓及 25樓-31樓 3/F, 5/F-12/F, 15/F-23/F and 25/F-31/F		3300	3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)			150, 175	150, 175
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	32樓 32/F		3300, 3350, 3450, 3500, 3500%	3300, 3350, 3450, 3500, 3500%
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)			150, 175, 350%, 375%	150, 175, 350%, 375%

% 包括結構層上之混凝土填充層厚度 (200 毫米)

% Inclusive of the thickness of mass concrete fill on slab (200mm)

比例：0米/M 5米/M
Scale: 



第5座 33樓平面圖

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。


備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。



The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat 樓層 Floor	A	B
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	33樓 33/F	3500	3500
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 175

比例： 0米/M 5米/M
Scale: 



第5座 33樓平面圖
Tower 5 33/F Floor Plan

第 5 座 33 樓 B 單位在發展項目落成後進行獲《建築物條例》(第 123 章) 豁免的工程而有所改動，該等改動的大概位置已於本樓面平面圖中作標示。

第 5 座 33 樓 B 單位的改動工程包括：

(A) 原主人睡房及睡房 1 的門被移除並以新門取代。

(B) 原主人睡房與睡房 1 之間的分隔牆被移除。

Flat B on 33/F of Tower 5 has been altered by way of exempted works under the Buildings Ordinance (Cap. 123) after completion of the Development. The approximate locations of alterations are indicated on this floor plan.

Alteration works for Flat B on 33/F of Tower 5 include:

(A) Original doors of Master Bedroom and Bedroom 1 have been removed and replaced with a new door.

(B) Original partition wall between Master Bedroom and Bedroom 1 has been removed.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B
樓層 Floor			
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	33樓 33/F	3500	3500
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 175

比例：0米/M 5米/M
Scale :



第5座 33樓現狀間隔平面圖
As-Is Floor Plan for Tower 5 33/F



因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B
樓層 Floor			
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	33樓 33/F	3500	3500
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 175

比例：0米/M 5米/M
Scale : 



第6座 2樓平面圖
Tower 6 2/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C	D
樓層 Floor					
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	2樓 2/F	2800, 2850, 3050, 3300	2950, 3000, 3050, 3300	2950, 3000, 3300	3000, 3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 275	150	150

比例： 0米/M 5米/M
Scale : 5米/M



10 發展項目的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

第6座 3樓平面圖
Tower 6 3/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C	D
樓層 Floor					
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	3樓 3/F	3300	3300	3300	3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 275	150	150

比例：0米/M 5米/M
Scale :



第6座 5樓平面圖
Tower 6 5/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C	D
樓層 Floor					
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	5樓 5/F	3300	3300	3300	3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 275	150	150

比例：0米/M 5米/M
Scale : 5米/M



10 發展項目的住宅物業的樓面平面圖 FLOOR PLANS OF RESIDENTIAL P

第6座 6樓平面圖

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。


備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat 樓層 Floor	A	B	C	D
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	6樓 6/F	3300	3300	3300	3300
樓板(不包括灰泥) 的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 275	150	150

比例：0米/M 5米/M
Scale: 



第6座 7樓-12樓、15樓-23樓、25樓-32樓平面圖

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be

Please refer to page 19 of this sales brochure for the remarks and legends of the terms


Note: The dimensions of the floor plans are all structural dimensions in millimeter and

每個住宅物業 Each Residential Property	單位 Flat 樓層 Floor	A	B	C	D
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	7樓-12樓、 15樓-23樓及 25樓-31樓 7/F-12/F, 15/F-23/F and 25/F-31/F	3300	3300	3300	3300
樓板(不包括灰泥) 的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 275	150	150
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	32樓 32/F	3300, 3500%	3300, 3450, 3500%	3300, 3500, 3500%	3300, 3500%
樓板(不包括灰泥) 的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175, 350%, 375%	150, 275, 350%	150, 350%	150, 350%

% 包括結構層上之混凝土填充層厚度 (200 毫米)

% Inclusive of the thickness of mass concrete fill on slab (200mm)

比例： 0米/M 5米/M



第6座 32樓平面圖
Tower 6 32/F Floor Plan

第 6 座 32 樓 A 單位在發展項目落成後進行獲《建築物條例》(第 123 章)豁免的工程而有所改動，該等改動的大概位置已於本樓面平面圖中作標示。

第 6 座 32 樓 A 單位的改動工程包括：

- (A) 原睡房 1 的門被移除並以新間隔牆取代。
- (B) 原主人睡房與睡房 1 之間の間隔牆被移除。
- (C) 原儲物房的門被移除並以新間隔牆取代。
- (D) 原儲物房與主人睡房之間的部分間隔牆被移除。

Flat A on 32/F of Tower 6 has been altered by way of exempted works under the Buildings Ordinance (Cap. 123) after completion of the Development. The approximate locations of alterations are indicated on this floor plan.

Alteration works for Flat A on 32/F of Tower 6 include:

- (A) Original door of Bedroom 1 has been removed and replaced with a new partition wall.
- (B) Original partition wall between Master Bedroom and Bedroom 1 has been removed.
- (C) Original door of Store Room has been removed and replaced with a new partition wall.
- (D) Part of original partition wall between Store Room and Master Bedroom has been removed.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat 樓層 Floor	A	B	C	D
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	32樓 32/F	3300, 3500%	3300, 3450, 3500%	3300, 3500, 3500%	3300, 3500%
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175, 350%, 375%	150, 275, 350%	150, 350%	150, 350%

% 包括結構層上之混凝土填充層厚度 (200 毫米)
% Inclusive of the thickness of mass concrete fill on slab (200mm)

比例：0米/M 5米/M
Scale :



第6座 32樓現狀間隔平面圖
As-Is Floor Plan for Tower 6 32/F

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat 樓層 Floor	A	B	C	D
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	32樓 32/F	3300, 3500%	3300, 3450, 3500%	3300, 3500, 3500%	3300, 3500%
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175, 350%, 375%	150, 275, 350%	150, 350%	150, 350%

% 包括結構層上之混凝土填充層厚度 (200 毫米)
% Inclusive of the thickness of mass concrete fill on slab (200mm)

比例：0米/M 5米/M
Scale : 



第6座 12樓平面圖
Tower 6 12/F Floor Plan

第 6 座 12 樓 A 及 B 單位在發展項目落成後進行獲《建築物條例》(第 123 章) 豁免的工程而有所改動，該等改動的大概位置已於本樓面平面圖中作標示。

第 6 座 12 樓 A 及 B 單位的改動工程包括：

- (A)(D) 原儲物房的門被移除並以新間隔牆取代。
- (B)(E) 原儲物房與主人睡房之間的部分間隔牆被移除。
- (C)(F) 原主人睡房之金屬框玻璃衣櫃被移除。

Flats A and B on 12/F of Tower 6 has been altered by way of exempted works under the Buildings Ordinance (Cap. 123) after completion of the Development. The approximate locations of alterations are indicated on this floor plan.

Alteration works for Flats A and B on 12/F of Tower 6 include:

- (A)(D) Original door of Store Room has been removed and replaced with a new partition wall.
- (B)(E) Part of original partition wall between Store Room and Master Bedroom has been removed.
- (C)(F) Original metal frame glass wardrobe of Master Bedroom has been removed.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat				
樓層 Floor		A	B	C	D
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	12樓 12/F	3300	3300	3300	3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 275	150	150

比例：0米/M

Scale：5米/M



第6座 12樓現狀間隔平面圖
As-Is Floor Plan for Tower 6 12/F

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat 樓層 Floor	A	B	C	D
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	12樓 12/F	3300	3300	3300	3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 275	150	150

比例：0米/M 5米/M
Scale : 



第6座 33樓平面圖
Tower 6 33/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.


Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	C	D
樓層 Floor				
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	33樓 33/F	3110, 3500	3500	3500
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 200	150	150

比例：0米/M 5米/M
Scale : 



第7座 5樓平面圖
Tower 7 5/F Floor Plan



因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	樓層 Floor	單位 Flat	
		A	B
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	5樓 5/F	2800, 3050, 3250, 3300	2750, 2800, 3100, 3250, 3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150	150, 175

比例：0米/M 5米/M
Scale : 



10 發展項目的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

第7座 6樓-12樓、15樓-23樓、25樓-30樓平面圖 Tower 7 6/F-12/F, 15/F-23/F, 25/F-30/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.



Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B
樓層 Floor			
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	6樓-12樓、 15樓-23樓及 25樓-29樓 6/F-12/F, 15/F-23/F and 25/F-29/F	3300	3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150	150, 175
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	30樓 30/F	3300, 3350, 3500, 3500%	3300, 3350, 3500, 3500%
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 350%	150, 175, 350%, 375%

% 包括結構層上之混凝土填充層厚度 (200 毫米)
% Inclusive of the thickness of mass concrete fill on slab (200mm)

比例：0米/M 5米/M
Scale :



第7座 8樓平面圖
Tower 7 8/F Floor Plan

第 7 座 8 樓 B 單位在發展項目落成後進行獲《建築物條例》(第 123 章) 豁免的工程而有所改動，該等改動的大概位置已於本樓面平面圖中作標示。

第 7 座 8 樓 B 單位的改動工程包括：

- (A) 原睡房 1 的門被移除並以新間隔牆取代。
- (B) 原主人睡房與睡房 1 之間的間隔牆被移除。

Flat B on 8/F of Tower 7 has been altered by way of exempted works under the Buildings Ordinance (Cap. 123) after completion of the Development. The approximate locations of alterations are indicated on this floor plan. Alteration works for Flat B on 7/F of Tower 7 include:

- (A) Original door of Bedroom 1 has been removed and replaced with a new partition wall.
- (B) Original partition wall between Master Bedroom and Bedroom 1 has been removed.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B
樓層 Floor			
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	8樓 8/F	3300	3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150	150, 175

比例：0米/M 5米/M
Scale :



第7座8樓現狀間隔平面圖
As-Is Floor Plan for Tower 7 8/F



因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B
樓層 Floor			
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	8樓 8/F	3300	3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150	150, 175

比例： 0米/M 5米/M
Scale : 



第7座 15樓平面圖
Tower 7 15/F Floor Plan

第 7 座 15 樓 A 及 B 單位在發展項目落成後進行獲《建築物條例》(第 123 章)豁免的工程而有所改動，該等改動的大概位置已於本樓面平面圖中作標示。

第 7 座 15 樓 A 及 B 單位的改動工程包括：

- (A) 新增主人睡房的門。
- (B)(C) 原主人睡房及睡房 2 的門被移除。
- (D) 原主人睡房之金屬框玻璃衣櫃被移除。
- (E) 原睡房 1 的門被移除並以新間隔牆取代。
- (F) 原主人睡房與睡房 1 之間的間隔牆被移除。

Flats A and B on 15/F of Tower 7 has been altered by way of exempted works under the Buildings Ordinance (Cap. 123) after completion of the Development. The approximate locations of alterations are indicated on this floor plan.

Alteration works for Flats A and B on 7/F of Tower 7 include:

- (A) A new door for Master Bedroom has been added.
- (B)(C) Original doors of Master Bedroom and Bedroom 2 have been removed.
- (D) Original metal frame glass wardrobe of Master Bedroom has been removed.
- (E) Original door of Bedroom 1 has been removed and replaced with a new partition wall.
- (F) Original partition wall between Master Bedroom and Bedroom 1 has been removed.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.


Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B
樓層 Floor			
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	15樓 15/F	3300	3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150	150, 175

比例：0米/M

Scale :

5米/M



第7座15樓現狀間隔平面圖
As-Is Floor Plan for Tower 7 15/F



因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.


Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	樓層 Floor	單位 Flat	A	B
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	15樓 15/F		3300	3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)			150	150, 175

比例：0米/M 5米/M
Scale :



第7座 31樓平面圖
Tower 7 31/F Floor Plan



因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B
樓層 Floor			
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	31樓 31/F	3500	3500
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150	150, 175

比例：0米/M 5米/M
Scale :



10 發展項目的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

第8座 5樓平面圖
Tower 8 5/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C	D
樓層 Floor					
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	5樓 5/F	3250, 3300	3300	2950, 3300	3300
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150	150	150

比例：0米/M 5米/M
Scale :



第8座 6樓-12樓、15樓-23樓、25樓-30樓平面圖

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.


Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	樓層 Floor	單位 Flat	A	B	C	D
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	6樓-12樓、 15樓-23樓及 25樓-29樓 6/F-12/F, 15/F-23/F and 25/F-29/F	3300	3300	3300	3300	
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150	150	150	
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	30樓 30/F	3300, 3375, 3400, 3450, 3500, 3500%	2950, 3200, 3250, 3300, 3400, 3450, 3500, 3500%	3300, 3500, 3500%	3300, 3500%	
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175, 350%, 375%	150, 350%	150, 350%	150, 350%	

% 包括結構層上之混凝土填充層厚度 (200 毫米)

% Inclusive of the thickness of mass concrete fill on slab (200mm)

比例：0米/M 5米/M
Scale: 



第8座 30樓平面圖
Tower 8 30/F Floor Plan

第 8 座 30 樓 A 單位在發展項目落成後進行獲《建築物條例》(第 123 章)豁免的工程而有所改動，該等改動的大概位置已於本樓面平面圖中作標示。

第 8 座 30 樓 A 單位的改動工程包括：

- (A) 原睡房 1 的門被移除並以新間隔牆取代。
- (B) 原主人睡房與睡房 1 之間的間隔牆被移除。
- (C) 原睡房 2 與睡房 3 之間的間隔牆被移除。
- (D)(E) 原睡房 2 與睡房 3 的門分別被移除。
- (F) 新增睡房 2 的門。

Flat A on 30/F of Tower 8 has been altered by way of exempted works under the Buildings Ordinance (Cap. 123) after completion of the Development. The approximate locations of alterations are indicated on this floor plan.

Alteration works for Flat A on 30/F of Tower 8 include:

- (A) Original door of Bedroom 1 has been removed and replaced with a new partition wall.
- (B) Original partition wall between Master Bedroom and Bedroom 1 has been removed.
- (C) Original partition wall between Bedroom 2 and Bedroom 3 has been removed
- (D)(E) Original doors of Bedroom 2 and Bedroom 3 have been removed respectively.
- (F) A new door for Bedroom 2 has been added.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C	D
樓層 Floor					
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	30樓 30/F	3300, 3375, 3400, 3450, 3500, 3500%	2950, 3200, 3250, 3300, 3400, 3450, 3500, 3500%	3300, 3500, 3500%	3300, 3500%
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175, 350%, 375%	150, 350%	150, 350%	150, 350%

% 包括結構層上之混凝土填充層厚度 (200 毫米)

% Inclusive of the thickness of mass concrete fill on slab (200mm)

比例：0米/M

Scale：

5米/M



第8座 30樓現狀間隔平面圖
As-Is Floor Plan for Tower 8 30/F

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

每個住宅物業 Each Residential Property	單位 Flat	A	B	C	D
樓層 Floor					
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	30樓 30/F	3300, 3375, 3400, 3450, 3500, 3500%	2950, 3200, 3250, 3300, 3400, 3450, 3500, 3500%	3300, 3500, 3500%	3300, 3500%
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175, 350%, 375%	150, 350%	150, 350%	150, 350%

% 包括結構層上之混凝土填充層厚度 (200 毫米)
% Inclusive of the thickness of mass concrete fill on slab (200mm)

比例：0米/M
Scale :  5米/M



第8座 31樓平面圖
Tower 8 31/F Floor Plan

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.


每個住宅物業 Each Residential Property	單位 Flat	A	C	D
樓層 Floor				
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	31樓 31/F	3500	3500	3500
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175, 225	150	150

比例：0米/M 5米/M
Scale :



10 發展項目的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

Harbour Mansion 3樓平面圖
Harbour Mansion 3/F Floor Plan



每個住宅物業 Each Residential Property	單位 樓層 Flat Floor	A	B	C
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	3樓 3/F	3150	2800, 2850, 2900, 3150	2700, 2750, 2800, 3050, 3100, 3150
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175	150, 175	150

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

10

發展項目的住宅物業的樓面平面圖
FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

Harbour Mansion 5樓平面圖
Harbour Mansion 5/F Floor Plan



每個住宅物業 Each Residential Property	單位 樓層 Flat Floor	A	B	C
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	5樓 5/F	2950, 3150	3150	3150
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150	200	200


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

Harbour Mansion 6樓平面圖
Harbour Mansion 6/F Floor Plan



每個住宅物業 Each Residential Property	單位 Flat 樓層 Floor	A
層與層之間的高度 (毫米) Floor-to-Floor Height (mm)	6樓 6/F	3800
樓板 (不包括灰泥) 的厚度 (毫米) Thickness of Floor Slab (excluding plaster) (mm)		150, 175

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
請參閱本售樓說明書第19頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

備註：平面圖所列之數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
Please refer to page 19 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Note: The dimensions of the floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.